

Test Report 測試報告

Number : TWNC00512768
報告號碼

Date 日期 : Apr 22, 2016

Applicant 申請廠商: Formosa Plastics Corporation
台灣塑膠工業股份有限公司
8F, 201, TUN HUA N. RD.,
TAIPEI, TAIWAN
台北市敦化北路 201 號 8 樓

Sample Description 樣品敘述:

One (1) group of submitted samples said to be :

以下測試樣品乃供應商所提供及確認 :

Sample Description : 台塑鋼 FORMOCON
樣品名稱

Style / Item No. : FM130
產品型號


Date Sample Received : Apr 07, 2016
收件日期

Date Test Started : Apr 11, 2016
開始測試日期

Test Conducted 測試執行 :

As requested by the applicant, for details please refer to attached pages.
依申請商之要求，細節請參考附頁。

Authorized by:
On Behalf of Intertek Testing Services
Taiwan Limited



Matt Wang
Sr. Manager



Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

Test Result Summary 測試結果:

| Test Item 測試項目 | Unit 單位 | Test Method 測試方法 | Result 結果 (ppm) | MDL |
|--|------------|---|-------------------------|------|
| | | | Semitransparent plastic | 偵測極限 |
| Lead (Pb) Content 鉛含量 | ppm | With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013, 以微波消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。 | ND | 2 |
| Cadmium (Cd) Content 鎘含量 | ppm | With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013, 以微波消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。 | ND | 2 |
| Mercury (Hg) Content 汞含量 | ppm | With reference to IEC 62321-4: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-4: 2013, 以微波消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。 | ND | 2 |
| Chromium VI (Cr ⁶⁺) Content 六價鉻含量 | ppm | With reference to IEC 62321: 2008, by alkaline digestion and determined by UV-Vis Spectrophotometer. 參考 IEC 62321:2008, 以鹼液消化並用紫外光-可見光分光光度計分析。 | ND | 1 |
| Polybrominated Biphenyls (PBBs) 多溴聯苯 | | | | |
| Monobrominated Biphenyls (MonoBB) 單溴聯苯 | ppm | With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD. confirmation when necessary. 參考 IEC 62321-6: 2015, 以溶劑萃取並用氣相層析質譜儀分析, 必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。 | ND | 5 |
| Dibrominated Biphenyls (DiBB) 二溴聯苯 | | | ND | 5 |
| Tribrominated Biphenyls (TriBB) 三溴聯苯 | | | ND | 5 |
| Tetrabrominated Biphenyls (TetraBB) 四溴聯苯 | | | ND | 5 |
| Pentabrominated Biphenyls (PentaBB) 五溴聯苯 | | | ND | 5 |
| Hexabrominated Biphenyls (HexaBB) 六溴聯苯 | | | ND | 5 |
| Heptabrominated Biphenyls (HeptaBB) 七溴聯苯 | | | ND | 5 |
| Octabrominated Biphenyls (OctaBB) 八溴聯苯 | | | ND | 5 |
| Nonabrominated Biphenyls (NonaBB) 九溴聯苯 | | | ND | 5 |
| Decabrominated Biphenyl (DecaBB) 十溴聯苯 | | | ND | 5 |



Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

| Test Item 測試項目 | Unit 單位 | Test Method 測試方法 | Result 結果 (ppm) | |
|---|------------|--|-------------------------|-------------|
| | | | Semitransparent plastic | MDL 偵測極限 |
| Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚 | | | | |
| Monobrominated Diphenyl Ethers (MonoBDE) 單溴聯苯醚 | ppm | With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD. confirmation when necessary. 參考 IEC 62321-6: 2015, 以溶劑萃取 並用氣相層析質譜儀分析, 必要時會 以高效液相層析儀光二極體陣列偵測 儀進行確認。 | ND | 5 |
| Dibrominated Diphenyl Ethers (DiBDE) 二溴聯苯醚 | | | ND | 5 |
| Tribrominated Diphenyl Ethers (TriBDE) 三溴聯苯醚 | | | ND | 5 |
| Tetrabrominated Diphenyl Ethers (TetraBDE) 四溴聯苯醚 | | | ND | 5 |
| Pentabrominated Diphenyl Ethers (PentaBDE) 五溴聯苯醚 | | | ND | 5 |
| Hexabrominated Diphenyl Ethers (HexaBDE) 六溴聯苯醚 | | | ND | 5 |
| Heptabrominated Diphenyl Ethers (HeptaBDE) 七溴聯苯醚 | | | ND | 5 |
| Octabrominated Diphenyl Ethers (OctaBDE) 八溴聯苯醚 | | | ND | 5 |
| Nonabrominated Diphenyl Ethers (NonaBDE) 九溴聯苯醚 | | | ND | 5 |
| Decabrominated Diphenyl Ether (DecaBDE) 十溴聯苯醚 | | | ND | 5 |
| Organotin Compounds 有機錫化合物 | | | | |
| Tributyltin (TBT) included TBTO 三丁基錫化合物(包含 TBTO) | ppm | With reference to ISO 17353, by solvent extraction and determined by GC-MS. 參考 ISO 17353, 以溶劑萃取並用氣 相層析質譜儀分析。 | ND | 0.03 |
| Triphenyltin (TPHT) 三苯基錫化合物 | ppm | | ND | 0.03 |
| Dibutyltin (DBT) 二丁基錫化合物 | ppm | | ND | 0.03 |
| Diocetyl tin (DOT) 二辛基錫化合物 | ppm | | ND | 0.03 |
| Asbestos 石棉 | | | | |
| Anthophyllite 斜方角閃石 | NA | By FT-IR analysis. 以傅立葉轉換紅外線吸收光譜儀檢 測。 | Negative | NA |
| Crocidolite 青石棉 | NA | | Negative | NA |
| Amosite 棕石棉 | NA | | Negative | NA |
| Tremolite 透閃石 | NA | | Negative | NA |
| Chrysotile 白石綿 | NA | | Negative | NA |
| Actinolite 陽起石 | NA | | Negative | NA |



Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

| Test Item 測試項目 | Unit 單位 | Test Method 測試方法 | Result 結果 (ppm) | MDL |
|---|------------|--|-------------------------|------|
| | | | Semitransparent plastic | 偵測極限 |
| Azo Dyes Compounds (Specific Amine) 偶氮化合物 | | | | |
| 4-Aminodiphenyl 4-氨基聯苯 (92-67-1) | ppm | With reference to EN 14362-1:2012 and determined by GC-MS. 參考 EN 14362-1:2012，以氣相層析質譜儀分析。 | ND | 5 |
| Benzidine 聯苯胺 (92-87-5) | ppm | | ND | 5 |
| 4-Chloro- <i>o</i> -Toluidine 4-氯鄰甲苯胺 (95-69-2) | ppm | | ND | 5 |
| 2-Naphthylamine 2-萘胺 (91-59-8) | ppm | | ND | 5 |
| <i>o</i> -Aminoazotoluene 鄰氨基二甲基偶氮苯 (97-56-3) | ppm | | ND | 5 |
| 2-Amino-4-Nitrotoluene 2-氨基-4-硝基甲苯 (99-55-8) | ppm | | ND | 5 |
| <i>p</i> -Chloroaniline 4-氯苯胺 (106-47-8) | ppm | | ND | 5 |
| 2,4-Diaminoanisole 2,4'-二氨基茴香醚 (615-05-4) | ppm | | ND | 5 |
| 4,4'-Diaminodiphenylmethane 4,4'-二氨基二苯甲烷 (101-77-9) | ppm | | ND | 5 |
| 3,3'-Dichlorobenzidine 3,3'-二氯聯苯胺 (91-94-1) | ppm | | ND | 5 |
| 3,3'-Dimethoxybenzidine 3,3'-二甲氧基聯苯胺 (119-90-4) | ppm | | ND | 5 |
| 3,3'-Dimethylbenzidine 3,3'-二甲基聯苯胺 (119-93-7) | ppm | | ND | 5 |
| 3,3'-Dimethyl-4,4'- Diaminodiphenylmethane 3,3'-二甲基-4,4'-二氨基二苯甲烷) (838-88-0) | ppm | | ND | 5 |
| P-Cresidine 2-甲氧基-5 甲基苯胺 (120-71-8) | ppm | | ND | 5 |
| 4,4'-Methylene-Bis-(2-Chloroaniline) 4,4'-亞甲基-雙-(2-氯苯胺) (101-14-4) | ppm | | ND | 5 |
| 4,4'-Oxydianiline 4,4'-二胺基聯苯醚 (101-80-4) | ppm | | ND | 5 |
| 4,4'-Thiodianiline 4,4'-硫苯胺 (139-65-1) | ppm | | ND | 5 |
| <i>o</i> -Toluidine 鄰甲苯胺 (95-53-4) | ppm | | ND | 5 |
| 2,4-Toluyldiamine 2,4-二氨基甲苯 (95-80-7) | ppm | | ND | 5 |
| 2,4,5-Trimethylaniline 2,4,5-三甲苯胺 (131-17-7) | ppm | | ND | 5 |
| <i>o</i> -Anisidine 鄰甲氧基苯胺 (90-04-0) | ppm | ND | 5 | |
| 4-Aminoazobenzene 4-胺基偶氮苯 (60-09-3) | ppm | ND | 5 | |
| 2,4-Xylidine 2,4-二甲苯胺 (95-68-1) | ppm | ND | 5 | |
| 2,6-Xylidine 2,6-二甲苯胺 (87-62-7) | ppm | ND | 5 | |



Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

| Test Item 測試項目 | Unit 單位 | Test Method 測試方法 | Result 結果 (ppm) | MDL |
|---|------------|---|-------------------------|------|
| | | | Semitransparent plastic | 偵測極限 |
| Specific Benzotriazole 特定苯并三氮唑 | | | | |
| 2-Benzotriazol-2-yl-4,6-di- <i>tert</i> -butylphenol (UV-320) 2-(2-羥基-3',5'-二-叔-丁基苯基)-苯並三唑 (3846-71-7) | ppm | With reference to USEPA 3540C, by solvent extraction and determined by GC-MS. 參考 USEPA 3540C，以溶劑萃取並用氣相層析質譜儀分析。 | ND | 10 |
| 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) 2-(2'-羥基-3',5'-二-叔-戊基苯基)苯並三唑 (25973-55-1) | ppm | | ND | 10 |
| Beryllium (Be) Compounds 鉍化合物 | | | | |
| Beryllium (Be) Content 鉍含量 | ppm | With reference to USEPA 3052, by microwave digestion and determined by ICP-OES. 參考 USEPA 3052，以微波消化法並用感應耦合電漿原子放射光譜儀分析。 | ND | 2 |
| Beryllium Oxide (BeO) (Calculated by Be Content) 氧化鉍 (以鉍含量計算) | ppm | | ND | -- |
| Beryllium Copper (BeCu) (Calculated by Be Content) 鉍青銅 (以鉍含量計算) | ppm | | ND | -- |
| Cobalt (Co) Compounds 鈷化合物 | | | | |
| Cobalt (Co) Content 鈷含量 | ppm | With reference to USEPA 3052, by microwave digestion and determined by ICP-OES. 參考 USEPA 3052，以微波消化法並用感應耦合電漿原子放射光譜儀分析。 | ND | 2 |
| Cobalt Dichloride(CoCl ₂) (Calculated by Co content) 二氯化鈷 (以 Co 含量計算) | ppm | | ND | -- |
| Arsenic (As) Compounds 砷化合物 | | | | |
| Arsenic (As) Content 砷含量 | ppm | With reference to USEPA 3052, by microwave digestion and determined by ICP-OES. 參考 USEPA 3052，以微波消化法並用感應耦合電漿原子放射光譜儀分析。 | ND | 2 |
| Diarsenic Pentaoxide(As ₂ O ₅) (Calculated by As Content) 五氧化二砷 (以砷含量計算) | ppm | | ND | -- |
| Diarsenic Trioxide (As ₂ O ₃) (Calculated by As Content) 三氧化二砷 (以砷含量計算) | ppm | | ND | -- |



Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

| Test Item 測試項目 | Unit 單位 | Test Method 測試方法 | Result 結果 (ppm) | MDL |
|--|------------|--|-------------------------|------|
| | | | Semitransparent plastic | 偵測極限 |
| Phthalates 鄰苯二甲酸酯 | | | | |
| Di(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯 | ppm | With reference to EN 14372: 2004, by solvent extraction and determined by GC-MS. 參考 EN 14372: 2004, 以溶劑萃取並 用氣相層析質譜儀分析。 | ND | 50 |
| Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯 | ppm | | ND | 50 |
| Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯 | ppm | | ND | 50 |
| Di-(Iso-Nonyl)Phthalate (DINP) 鄰苯二甲酸二異壬酯 | ppm | | ND | 50 |
| Di-(Iso-Decyl)Phthalate (DIDP) 鄰苯二甲酸二異癸酯 | ppm | | ND | 50 |
| Di-(N-Octyl) Phthalate (DNOP) 鄰苯二甲酸二辛酯 | ppm | | ND | 50 |
| Di-n-hexyl phthalate (DNHP) 鄰苯二甲酸二正己酯 | ppm | | ND | 50 |
| Bis(2-Methoxyethyl) Phthalate (DMEP)鄰苯二甲酸(2-乙基甲醚)酯 | ppm | | ND | 50 |
| Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯 | ppm | | ND | 50 |
| 1,2-Benzenedicarboxylic Acid, di- C7-11-branched and Linear Alkyl Esters (DHNU) 鄰苯二甲酸二 (C7- 11 支鏈與直鏈)烷基酯 | ppm | | ND | 50 |
| 1,2-Benzenedicarboxylic Acid, di- C6-8-Branched Alkyl Esters, C7-rich (DIHP) 鄰苯二甲酸二 (C6-8 支鏈與 直鏈) 烷基酯, 富 C7 | ppm | | ND | 50 |
| Diisopentylphthalate 鄰苯二甲酸二異戊酯 | ppm | | ND | 50 |
| 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear 支鏈與直鏈的鄰苯二甲酸二戊酯 | ppm | | ND | 50 |
| n-pentyl-isopentylphthalate 鄰苯二甲酸正戊基異戊基酯 | ppm | | ND | 50 |
| Dipentyl phthalate (DPP) 鄰苯二甲酸二戊酯 | ppm | | ND | 50 |
| 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear 鄰苯二甲酸二己酯 (支鏈和直鏈) | ppm | ND | 50 | |



Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

| Test Item 測試項目 | Unit 單位 | Test Method 測試方法 | Result 結果 (ppm) | MDL |
|--|------------|--|-------------------------|------|
| | | | Semitransparent plastic | 偵測極限 |
| Polycyclic Aromatic Hydrocarbons (PAHs) 多環芳香族化合物 | | | | |
| Chrysene 屈 | ppm | With reference to AfPS GS 2014:01 PAK issued by the German committee on product safety (AfPS), by solvent extraction and determined by GC-MS. 參考 AfPS GS 2014:01 PAK, 以溶劑萃取並以氣相層析質譜儀分析。 | ND | 0.2 |
| Benzo[a]Anthracene 苯并[a]蒽 | ppm | | ND | 0.2 |
| Benzo[b] Fluoranthene 苯并[b]芘 | ppm | | ND | 0.2 |
| Benzo[k] Fluoranthene 苯并[k]芘 | ppm | | ND | 0.2 |
| Benzo[j] Fluoranthene 苯并[j]芘 | ppm | | ND | 0.2 |
| Benzo[a]Pyrene 苯并[a]芘 | ppm | | ND | 0.2 |
| Benzo[e]Pyrene 苯并[e]芘 | ppm | | ND | 0.2 |
| Dibenzo[a,h] Anthracene 二苯并[a,h]蒽 | ppm | | ND | 0.2 |
| Ozone Depleting Substances (ODS) 臭氧危害物質 | | | | |
| Chlorofluorocarbon (CFCs) (Class I, Group I) 氟氯碳化物 | ppm | With reference to USEPA 5021A / 8260C and determined by GC-MS linked with Headspace. 參考 USEPA 5021A / 8260C, 以氣相層析質譜儀連接頂空進樣器分析。 | ND | 1 |
| Halon (Class I, Group II) 海龍 | ppm | | ND | 1 |
| Chlorofluorocarbon (CFCs) (Class I, Group III) 氟氯碳化物 | ppm | | ND | 1 |
| Carbon Tetrachloride (CCl ₄) (Class I, Group IV) 四氯化碳 | ppm | | ND | 1 |
| 1,1,1-Trichloroethane (Class I, Group V) 1,1,1-三氯乙烷 | ppm | | ND | 1 |
| Bromomethane (Class I, Group VI) 溴甲烷 | ppm | | ND | 1 |
| Hydrobromofluorocarbon (HBFCs) (Class I, Group VII) 氟溴烴 | ppm | | ND | 1 |
| Chlorobromomethane (Class I, Group VIII) 溴氯甲烷 | ppm | | ND | 1 |
| Hydrochlorofluorocarbon (HCFCs) (Class II) 氫氟氯烴 | ppm | | ND | 1 |
| Ozone Depleting Substance Substitutes 臭氧危害物質替代物 | | | | |
| Perfluorocarbon (PFC) 全氟化碳 | ppm | With reference to USEPA 5021A / 8260C and determined by GC-MS linked with Headspace. 參考 USEPA 5021A / 8260C, 以氣相層析質譜儀連接頂空進樣器分析。 | ND | 1 |
| Hydrofluorocarbon (HFC) 氫氟烴 | ppm | | ND | 1 |
| Sulfur Hexafluoride (SF ₆) 六氟化硫 | ppm | | ND | 1 |



Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

| Test Item 測試項目 | Unit 單位 | Test Method 測試方法 | Result 結果 (ppm) | MDL |
|--|------------|--|-------------------------|------|
| | | | Semitransparent plastic | 偵測極限 |
| Specific Boric Acid and Derivatives Include (Calculated by B content) 特定硼酸及其衍生物 (以硼含量計算) | | | | |
| Boron (B) Content 硼含量 | ppm | With reference to USEPA 3052, by microwave digestion and determined by ICP-OES. 參考 USEPA 3052, 以微波消化法並用感應耦合電漿原子放射光譜儀分析。 | ND | 2 |
| Boric Acid 硼酸 | ppm | | ND | -- |
| Disodium Tetraborate, Anhydrous 無水四硼酸二鈉 | ppm | | ND | -- |
| Tetraboron Disodium Heptaoxide, Hydrate 水合七氧化四硼酸二鈉 | ppm | | ND | -- |
| Disodium Tetraborate Decahydrate 十水四硼酸二鈉 | ppm | | ND | -- |
| Halogen Content 鹵素含量 | | | | |
| Chlorine (Cl) 氯 | ppm | With reference to EN 14582:2007 by combustion bomb with oxygen and determined by Ion Chromatography. 參考 EN 14582:2007, 以氧彈燃燒集氣法並用離子層析儀分析。 | ND | 50 |
| Bromine (Br) 溴 | ppm | | ND | 50 |
| Others 其他 | | | | |
| Polychlorinated Biphenyls (PCBs) 多氯聯苯 | ppm | With reference to USEPA 3540C / 8082A, by solvent extraction and determined by GC-ECD or GC-MS. 參考 USEPA 3540C / 8082A, 以溶劑萃取並用氣相層析電子捕捉偵測器或氣相層析質譜儀分析。 | ND | 1 |
| Polychlorinated Naphthalenes (PCNs) 多氯化萘 | ppm | With reference to USEPA 3540C / 8081B, by solvent extraction and determined by GC-ECD or GC-MS. 參考 USEPA 3540C / 8081B, 以溶劑萃取並用氣相層析電子捕捉偵測器或氣相層析質譜儀分析。 | ND | 10 |
| Polychlorinated Terphenyls (PCTs) 多氯三聯苯 | ppm | With reference to USEPA 3540C, by solvent extraction and determined by GC-ECD or GC-MS. 參考 USEPA 3540C, 以溶劑萃取並用氣相層析電子捕捉偵測器或氣相層析質譜儀分析。 | ND | 10 |
| Short Chain Chlorinated Paraffins (C10~C13) 短鏈氯化石蠟 | ppm | With reference to USEPA 3540C, by solvent extraction and determined by GC-ECD or GC-MS. 參考 USEPA 3540C, 以溶劑萃取並用氣相層析電子捕捉偵測器或氣相層析質譜儀分析。 | ND | 5 |



Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

| Test Item 測試項目 | Unit 單位 | Test Method 測試方法 | Result 結果 (ppm) | MDL |
|--|------------|---|-------------------------|------|
| | | | Semitransparent plastic | 偵測極限 |
| Polyvinyl Chloride (PVC) 聚氯乙烯和聚氯乙烯混合物 | NA | Beilstein's test (Flame Test) and FT-IR analysis. 火焰法及傅立葉轉換紅外線吸收光譜儀檢測。 | Negative | NA |
| Tris(2-Chloroethyl) Phosphate (TCEP) 磷酸三(2-氯乙基)酯 | ppm | With reference to USEPA 3540C, by solvent extraction and determined by GC-MS. 參考 USEPA 3540C，以溶劑萃取並用氣相層析質譜儀分析。 | ND | 5 |
| Tris(2-chloro-1-methylethyl) phosphate (TCPP) 磷酸三(2-氯丙基)酯 | ppm | | ND | 5 |
| Tris(1,3-dichloro-2-propyl) phosphate (TDCPP) 磷酸三(2,3-二氯丙基)酯 | ppm | | ND | 5 |
| Hexabromocyclododecane (HBCDD) 六溴環十二烷 | ppm | With reference to USEPA 3540C, by solvent extraction and determined by GC-MS. 參考 USEPA 3540C，以溶劑萃取並用氣相層析質譜儀分析。 | ND | 10 |
| Formaldehyde 甲醛 | ppm | With reference to ISO 17226-1 and determined by HPLC-DAD. 參考 ISO 17226-1，並用高效液相層析儀光二極體陣列偵測儀分析。 | ND | 5 |
| Dimethylfumarate (DMFu) 富馬酸二甲酯 | ppm | With reference to ISO/TS 16186, by solvent extraction and determined by GC-MS. 參考 ISO/TS 16186，以溶劑萃取並用氣相層析質譜儀分析。 | ND | 0.1 |
| Perfluorooctane Sulfonates (PFOS) 全氟辛磺酸 | ppm | With reference to CEN/TS 15968:2010, by solvent extraction and determined by LC-MS-MS. 參考 CEN/TS 15968:2010，以溶劑萃取並用液相層析串聯式質譜儀分析。 | ND | 0.05 |
| Perfluorooctanoic acid (PFOA) and individual salts and esters of PFOA 全氟辛酸及其鹽類和酯類 | ppm | | ND | 0.05 |
| 4-(1,1,3,3-tetramethylbutyl) phenol 4-(1,1,3,3-四甲基丁基)苯酚 | ppm | With reference to USEPA 3550C, by solvent extraction and determined by GC-MS. 參考 USEPA 3550C，以溶劑萃取並用氣相層析質譜儀分析。 | ND | 10 |



Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

| Test Item 測試項目 | Unit 單位 | Test Method 測試方法 | Result 結果 (ppm) | MDL |
|--|------------|---|-------------------------|-------|
| | | | Semitransparent plastic | 偵測極限 |
| Bis(2-methoxyethyl) ether 氬代雙(2-甲氧基乙基)醚 | ppm | With reference to USEPA 3550C, by solvent extraction and determined by GC-MS. 參考 USEPA 3550C，以溶劑萃取並用氣相層析質譜儀分析。 | ND | 10 |
| N,N-dimethylacetamide (DMAC) N',N'-二甲基乙醯胺 | ppm | With reference to USEPA 3550C, by solvent extraction and determined by GC-MS. 參考 USEPA 3550C，以溶劑萃取並用氣相層析質譜儀分析。 | ND | 10 |
| Ethylene glycol dimethyl ether (EGDME) 二乙二醇二甲醚 | ppm | With reference to USEPA 3550C, by solvent extraction and determined by GC-MS. 參考 USEPA 3550C，以溶劑萃取並用氣相層析質譜儀分析。 | ND | 10 |
| Perchlorates 高氯酸鹽 | ppm | By Ion Chromatography analysis. 以離子層析儀分析。 | ND | 0.006 |
| Trixylyl phosphate (TXP) 磷酸三(二甲苯)酯 | ppm | Solvent extraction method was used and determined by GC-MS. 以溶劑萃取，並用氣相層析質譜儀分析。 | ND | 100 |
| 2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) 二正辛基-雙(2-乙基己基巯基乙酸酯)錫 | ppm | Solvent extraction method was used and determined by GC-MS. 以溶劑萃取，並用氣相層析質譜儀分析。 | ND | 100 |
| Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) 二正辛基-雙(2-乙基己基巯基乙酸酯)錫和單辛基-三(2-乙基己基巯基乙酸酯)錫的反應物 | ppm | Solvent extraction method was used and determined by GC-MS. 以溶劑萃取，並用氣相層析質譜儀分析。 | ND | 100 |
| Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene (BNST) (68921-45-9) 二苯胺、苯乙烯及 2,4,4-三甲基戊烯的反應產物 | ppm | Solvent extraction method was used and determined by GC-MS. 以溶劑萃取，並用氣相層析質譜儀分析。 | ND | 30 |



Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

Remarks: ppm = Parts per million based on weight of tested sample 百萬分之一，依據測試樣品重量計算
備註 ND = Not detected 未檢測出
NA = Not applicable 不適用
MDL = Quantitation limit of test method 方法偵測極限
Negative = A negative test result indicated positive observation was not found at the time of test.
此陰性結果顯示樣品在分析過程中無發現任何陽性現象的存在。

Responsibility of chemist 分析人員 : Pelny Hsiao/ Vita Fu

Date Sample Received 樣品收件日期 : Apr 07, 2016

Test Period 樣品測試期間 : Apr 11, 2016 to Apr 20, 2016



Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

Measurement Flowchart 測試流程圖:


Test for Cd/Pb/Hg/Chromium (VI)/PBBs/PBDEs Content RoHS 六項測試

Reference Method 參考方法: Cd/Pb: IEC 62321-5:2013; Hg: IEC 62321-4:2013;

Chromium (VI): IEC 62321-7-1:2015 (boiling water extraction);

Chromium (VI): IEC 62321:2008 (alkaline extraction);

PBBs/PBDEs: IEC 62321-6:2015



Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

Remark 備註:

*1: List of Appropriate Acid 各材質添加酸液如下表：

| Material 材質 | Acid Added for Digestion 添加酸液種類 |
|------------------|---|
| Polymers 聚合物 | HNO ₃ ,HCl,HF,H ₂ O ₂ ,H ₃ BO ₃ 硝酸、鹽酸、氫氟酸、雙氧水、硼酸 |
| Metals 金屬 | HNO ₃ ,HCl,HF 硝酸、鹽酸、氫氟酸 |
| Electronics 電子產品 | HNO ₃ ,HCl,H ₂ O ₂ ,HBF ₄ 硝酸、鹽酸、雙氧水、氟硼酸 |

*2: If sample solution is significantly more intense than 0.13 µg/cm² equivalent comparison standard, Chromium VI would be determined as detected, the result of visual observation is positive.
當待測樣品溶液顏色明顯比 0.13 µg/cm² 深，採用目測法判定六價鉻結果為陽性。




Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

Test for Halogen Content 鹵素測試

Reference Standard 參考方法 : EN 14582




Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

Test for AZO Colorant 偶氮色料測試

Reference Method 參考方法: EN 14362-1: 2012




Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

Test for Phthalates Contents 鄰苯二甲酸酯測試

Reference Method 參考方法: EN 14372: 2004




Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

Test for Polycyclic Aromatic Hydrocarbons (PAHs) Contents 多環芳香族化合物測試

Reference Method 參考方法 : AfPS GS 2014:01 PAK




Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

Test for Asbestos 石綿測試

Reference Method 參考方法: FT-IR Analysis 傅立葉轉換紅外線吸收光譜儀檢測




Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

Test for Perfluorooctane Sulfonates (PFOS) /
Perfluorooctanoic acid (PFOA) and individual salts and esters of PFOA Contents
全氟辛磺酸 / 全氟辛酸及其鹽類和酯類測試
Reference Method 參考方法: CEN/TS 15968:2010




Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

Test for UV Absorbent / UV 吸收劑

Reference Standard 參考方法 : USEPA 3540C




Test Report 測試報告

Number : TWNC00512768
報告號碼

Test Conducted 測試執行

Test for Formaldehyde Content 甲醛

Reference Standard 參考方法 : ISO 17226



Test Report 測試報告

Number : TWNC00512768
報告號碼



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



TERMS AND CONDITIONS OF BUSINESS

1. Intertek Testing Services Taiwan Ltd. (hereinafter "the Company") agrees to provide its services in accordance with and subject to the terms and conditions herein contained (hereinafter "the Conditions"). The Conditions may only be modified by a variation expressed in writing and signed on behalf of the Company by a director and no other action on the part of the Company or its employees or agents shall be construed as an acceptance of any other terms and conditions.
2. The Company acts for the person or body from whom the request to provide its services has originated (hereinafter "the Principal"). No other party is entitled to give instructions to the Company unless agreed by the Company.
3. All rights (including but not limited to copyright) in any test reports, surveys, certificates of inspection or other material produced by the Company in the course of providing its services shall remain vested in the Company. The Principal shall not reproduce or make copies, publish or disclose the contents of any such material or extracts thereof to any third party without the Company's prior written consent, which may be refused at its discretion. The Principal further undertakes that its servants and agents shall keep confidential and shall not publish or otherwise use any information that may be acquired relating to the Company's activities.
4. 4.1 The Company undertakes to exercise due care and skill in the performance of its services and accepts responsibility only where such skill and care is not exercised.
- 4.2 The liability of the Company in respect of any claims for loss, damage or expense of whatsoever nature and howsoever arising in respect of any breach of contract and/or any failure to exercise due skill and care by the Company shall in no circumstances exceed a total aggregate sum equal to ten (10) times the amount of the fee or commission payable in respect of the specific service required under the particular contract with the Company which gives rise to such claims provided however that the Company shall have no liability in respect of any claims for indirect or consequential loss including loss of profit and/or loss of future business and/or loss of production and/or cancellation of contracts entered into by the Principal.
- 4.3 The Company shall not in any event be liable for any loss or damage caused by delay in performance or non-performance of any of its services where the same is occasioned by any cause whatsoever that is beyond the Company's control including but not limited to war, civil disturbance, requisitioning, governmental or parliamentary restriction, prohibitions or enactment of any kind, import or export regulations, strike or trade dispute (whether involving its own employees or those of any other person), difficulties in obtaining workmen or materials, breakdown of machinery, fire or accident. Should any such event occur the Company may cancel or suspend any contract for the provision of services without incurring any liability whatsoever.
- 4.4 The Company will not be liable to the Principal for any loss or damage whatsoever sustained by the Principal as a result of any failure by the Company to comply with any time estimate given by the Company relating to the provision of its services. [See clause 9.1] [See clause 9.2]
- 4.5 The Principal acknowledges that samples may be damaged or destroyed in the course of testing carried out by the Company or any of the Company's agent or subcontractor as part of the necessary testing process and the Company shall not in any event be liable for any loss or damage arising from the damage or destruction of the samples subject to testing.
- 4.6 In the event that the Principal requests for the return of the samples, the Company shall not be responsible for any re-packaging of the samples prior to such return and the Company shall in no circumstances be liable for any loss or damage caused to any of the samples during or as a result of their shipment to the Principal for the purpose of this Clause 4.6.
5. 5.1 Subject to the Principal's instructions as accepted by the Company, the test reports, surveys, certificates of inspection or other material produced by the Company shall contain statements of opinion made with due care within the limitation of the instructions received by the Company. The Company is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received.
- 5.2 For pre-shipment inspection or survey of goods, the Company's inspector shall perform the inspection or survey when goods are 100% completed, packed and marked (unless otherwise agreed between the Company and the Principal). Goods for inspection or survey shall be unpacked in the presence of the Company's inspector and inspection or survey shall, subject to Condition 5.3, take place at the place specified by the Principal.
- 5.3 If the Company's inspector finds that the location is not suitable for carrying out a proper inspection or survey of goods or where necessary equipment for inspection or survey is not available the inspector may, if practical in the circumstances, draw samples of goods from the location and carry out the inspection or survey at the premises of the Company. The Principal shall be responsible for all costs and expenses incurred in relation thereto.
- 5.4 Reports, surveys or certificates issued following testing or analysis of samples contain the Company's specific opinion on those samples only but do not express any opinion upon the bulk from which the samples were drawn. If an opinion on the bulk is requested special arrangements in writing must be made in advance with the Company for the inspection and sampling of the bulk. In no circumstances shall the Company's responsibility extend beyond inspection, testing and reporting upon the samples actually drawn from the bulk and inspected, tested and surveyed by the Company and any inference to be drawn from the results of such inspection or survey or testing shall be entirely in the discretion and at the sole and exclusive responsibility of the Principal.
6. The Company shall be entitled at its discretion to delegate the performance of the whole or any part of the services contracted for with the Principal to any agent or subcontractor.
7. Every officer, employee, agent or subcontractor of the Company shall have the benefit of the limitations of liability and the indemnities contained in the General Conditions. So far as relates to such limitations and indemnities, any contract entered into by the Company is entered into not only on its own behalf but also as agent and trustee for every such person as aforesaid.
8. If the requirements of the Principal necessitate the analysis of samples by the Principal or by any third party the Company will pass on the results of the analysis but without responsibility for its accuracy. Where the Company is only able to witness an analysis by the Principal or by any third party the Company will provide confirmation, if such be the case, that a correct sample has been analysed but will not otherwise be responsible for the accuracy of such analysis.
9. The Principal will:
 - 9.1 ensure that instructions to the Company are given in due time and are accompanied by sufficient information to enable the required services to be performed effectively;
 - 9.2 accept that documents reflecting arrangements or agreements made between the Principal and any third party, or third party documents such as copies of contracts of sale, letters of credit, bills of lading, etc. are -if received by the Company considered to be for information only, without extending or restricting the services to be provided or obligations accepted by the Company.
 - 9.3 procure all necessary access for the Company's representatives to enable the required services to be performed effectively.
 - 9.4 supply, if required, any special equipment and personnel necessary for the performance of the required services.
 - 9.5 ensure that all necessary measures are taken for safety and security of working conditions, sites and installations during the performance of the required services;



- 9.6 take all necessary steps to eliminate or remedy any obstruction to or interruptions in the performance of the required services and repack all inspected goods immediately after any inspection or survey of them;
- 9.7 inform the Company in advance of any known hazards or dangers, actual or potential, associated with any request for the provision of services by the Company including but not limited to the presence or risk of radiation, toxic or noxious or explosive elements or materials, environmental pollution or poisons;
10. The Principal shall guarantee, hold harmless and indemnify the Company and its officers, employees, agents or subcontractors against:
 - 10.1 all claims made by any third party for any loss, damage or expense of whatsoever nature and howsoever arising relating to the performance, purported performance or non-performance of any of services to the extent that the aggregate of any such claims relating to any one service exceeds the limit mentioned in Condition 4.2.
 - 10.2 any loss or damage suffered by the Company as a result of the provision of services by the Company to the Principal otherwise than resulting from the Company's own error, negligence or wilful default.
11. 11.1 The Principal shall not be entitled to retain or defer payment of any sums due to the Company on account of any dispute, cross claim or set off which it may allege against the Company.
- 11.2 The Principal shall not be entitled to retain or defer payment of any sums due to the Company on account of any dispute, cross claim or set off which it may allege against the Company.
- 11.3 In the event of any suspension of payment arrangement with creditors, bankruptcy, insolvency, receivership or cessation of business or failure of the Principal to pay part or all of any sums owing to the Company, the Company shall be entitled to suspend all further performance of its services and withhold the issue of any test report, survey, certificate of inspection or other material requested forthwith and without liability until payment of all sums owing to the Company together with interest thereon is made
12. Without prejudice to any rights the Company may have at law or under the Conditions, the Company has the following rights in the event of non-payment of sums owing to the Company as set out below:
 - 12.1 The Company has a general and particular lien over all samples delivered to be tested for all claims and sums owing by the Principal to the Company under any contract whatsoever and in any other way whatsoever.
 - 12.2 During the currency of any such lien the Company is entitled to be paid reasonable storage charges for samples retained in the Company's custody.
 - 12.3 Without prejudice to the Company's lien and other rights under Conditions 12.1 to 12.2 above, if test, inspection or survey of the goods takes place on the premises of the Company, the Company may give notice to the Principal that the goods (or any part thereof) are ready for collection and the Principal shall collect the same within three (3) calendar days (Saturdays, Sundays and Public Holidays excepted). Upon the expiry of this period, if the goods are not collected by the Principal, at the sole discretion of the Company the goods may be deemed abandoned and/or destroyed.
 - 12.4 Without prejudice to Conditions 12.3 above, the Company shall have the discretion to store the goods (or any of them) at their own premises or elsewhere at the Principal's expense if the Principal has deposited the goods at the Company's premises for the performance of these services and has subsequently failed to collect the said goods.
 - 12.5 The expenses by way of disbursements that the Company may reclaim from the Principal include all reasonable costs incurred by the Company (whether by way of storage, insurance or otherwise) in respect of the goods and it is expressly declared that it shall be reasonable but not mandatory for the Company to effect comprehensive insurance in respect of the goods.
 - 12.6 Without prejudice to the Company's lien and other rights under Conditions 12.1 to 12.5 above, the risk and property in the goods shall remain at all times in the Principal.
13. In the event of the Company being prevented by reason of any cause whatsoever outside the Company's control from performing or completing any service for which an order has been given or an agreement made, the Principal will pay to the Company:
 - 13.1 the amount of all abortive expenditure actually made or incurred; and
 - 13.2 a proportion of the agreed fee or commission equal to the proportion (if any) of the service actually carried out;and the Company shall be relieved of all responsibility whatsoever for the partial or total non-performance of the required service.
14. The Company shall be discharged from all liability to the Principal for all claims for loss, damage or expense unless suit is brought within twelve (12) months after the date of the performance by the Company of the service which gives rise to the claim or in the event of any alleged non-performance within twelve (12) months of the date when such service should have been completed.
15. In the event that any unforeseen additional time or costs are incurred in the course of carrying out any of its services the Company shall be entitled to render additional charges as shall reasonably reflect such additional time and costs incurred.
16. All contracts for provision of services by the Company and the Conditions shall be construed in accordance with and governed by the laws of the ROC and for the purpose of any arbitral or litigation proceedings such contracts shall be deemed to have been made and performed in Taiwan. If any provision contained in the Conditions is and/or becomes invalid, illegal or unenforceable in any respect under the laws of the ROC, the validity, legality and enforceability of the remaining provisions hereof shall not in any way be affected or impaired thereby.
17. Any dispute or claim arising out of or relating to the provision of, or any agreement to provide, services by the Company shall be referred to and determined by arbitration subject to the Company's sole and overriding discretion to commence litigation proceedings in the courts of Taiwan or the courts of any other country as the Company may choose. The parties may agree to the appointment of an arbitrator failing which either party may, after having made a written request to concur in the appointment of an arbitrator, request the ROC Arbitration Association to appoint an arbitrator. The place of arbitration shall be in Taiwan. There shall only be one arbitrator.

