

## Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 1 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

The following sample(s) was/were submitted and identified by/on behalf of the applicant as:


Sample Submitted By : FORMOSA PLASTICS CORPORATION  
Sample Name : PVC POWDER  
Style/Item No. : JWS-65  
Sample Material : PVC POWDER

=====  
Sample Receiving Date : 10-Jan-2022  
Testing Period : 10-Jan-2022 to 20-Jan-2022

**Test Requested** : (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).  
(2) As specified by client, the sample(s) was/were tested for 5 PBTs with reference to Regulation of Persistent, Bioaccumulative, Toxic (PBT) Chemicals under Toxic Substances Control Act (TSCA) Section 6(h). Please refer to result table for testing item(s).  
(3) As specified by client, to test PAHs and other item(s).

**Test Results** : Please refer to following pages.

**Conclusion** : (1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.  
(2) Based on the performed tests on submitted sample(s), the test result(s) comply with the limits as set by Persistent, Bioaccumulative, Toxic (PBT) Chemicals under Toxic Substances Control Act (TSCA) Section 6(h).

  
Ray Chang, Ph.D./Department Manager  
Signed for and on behalf of  
SGS TAIWAN LTD.  
Chemical Laboratory-Kaohsiung



PIN CODE: 2FAD1CA3

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 2 of 50

FORMOSA PLASTICS CORPORATION  
NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

## Test Part Description

No.1 : WHITE POWDER

## Test Result(s)

| Test Item(s)                                     | Method   | Unit  | MDL | Result | Limit |
|--|--|-------|-----|--------|-------|
|  |  |       |     | No.1   |       |
| Cadmium (Cd) (CAS No.: 7440-43-9)                | With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.            | mg/kg | 2   | n.d.   | 100   |
| Lead (Pb) (CAS No.: 7439-92-1)                   | With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.            | mg/kg | 2   | n.d.   | 1000  |
| Mercury (Hg) (CAS No.: 7439-97-6)                | With reference to IEC 62321-4: 2013+AMD1: 2017, analysis was performed by ICP-OES. | mg/kg | 2   | n.d.   | 1000  |
| Hexavalent Chromium Cr(VI) (CAS No.: 18540-29-9) | With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.           | mg/kg | 8   | n.d.   | 1000  |
| Monobromobiphenyl                                | With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.              | mg/kg | 5   | n.d.   | -     |
| Dibromobiphenyl                                  |  | mg/kg | 5   | n.d.   | -     |
| Tribromobiphenyl                                 |  | mg/kg | 5   | n.d.   | -     |
| Tetrabromobiphenyl                               |  | mg/kg | 5   | n.d.   | -     |
| Pentabromobiphenyl                               |  | mg/kg | 5   | n.d.   | -     |
| Hexabromobiphenyl                                |  | mg/kg | 5   | n.d.   | -     |
| Heptabromobiphenyl                               |  | mg/kg | 5   | n.d.   | -     |
| Octabromobiphenyl                                |  | mg/kg | 5   | n.d.   | -     |
| Nonabromobiphenyl                                |  | mg/kg | 5   | n.d.   | -     |
| Decabromobiphenyl                                |  | mg/kg | 5   | n.d.   | -     |
| <b>Sum of PBBs</b>                               |  | mg/kg | -   | n.d.   | 1000  |
| Monobromodiphenyl ether                          | With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.              | mg/kg | 5   | n.d.   | -     |
| Dibromodiphenyl ether                            |  | mg/kg | 5   | n.d.   | -     |
| Tribromodiphenyl ether                           |  | mg/kg | 5   | n.d.   | -     |
| Tetrabromodiphenyl ether                         |  | mg/kg | 5   | n.d.   | -     |
| Pentabromodiphenyl ether                         |  | mg/kg | 5   | n.d.   | -     |
| Hexabromodiphenyl ether                          |  | mg/kg | 5   | n.d.   | -     |
| Heptabromodiphenyl ether                         |  | mg/kg | 5   | n.d.   | -     |
| Octabromodiphenyl ether                          |  | mg/kg | 5   | n.d.   | -     |
| Nonabromodiphenyl ether                          |  | mg/kg | 5   | n.d.   | -     |
| Decabromodiphenyl ether                          |  | mg/kg | 5   | n.d.   | -     |
| <b>Sum of PBDEs</b>                              |  | mg/kg | -   | n.d.   | 1000  |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 3 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)  | Method  | Unit    | MDL  | Result   | Limit |
|---|---|---------|------|----------|-------|
|   |   |         |      | No.1     |       |
| Polychlorinated biphenyls (PCBs)  | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg   | 0.5  | n.d.     | -     |
| Polychlorinated naphthalene (PCNs)                                      | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg   | 5    | n.d.     | -     |
| Polychlorinated terphenyls (PCTs)                                       | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg   | 0.5  | n.d.     | -     |
| Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8) | With reference to ISO 18219: 2015, analysis was performed by GC/MS.   | mg/kg   | 50   | n.d.     | -     |
| Formaldehyde (CAS No.: 50-00-0)   | With reference to ISO 17226-1: 2021, analysis was performed by LC/DAD.  | mg/kg   | 3    | n.d.     | -     |
| Polyvinyl chloride (PVC)  | With reference to ASTM E1252: 2013, analysis was performed by FT-IR and Flame Test.   | **      | -    | Positive | -     |
| <b>Asbestos</b>   |   |         |      |          |       |
| Actinolite (CAS No.: 77536-66-4)  | With reference to EPA 600/R-93/116: 1993, analysis was performed by Stereo Microscope (SM), Dispersion Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD). | % (w/w) | -    | Negative | -     |
| Amosite (CAS No.: 12172-73-5)   |   | % (w/w) | -    | Negative | -     |
| Anthophyllite (CAS No.: 77536-67-5)                                     |   | % (w/w) | -    | Negative | -     |
| Chrysotile (CAS No.: 12001-29-5)  |   | % (w/w) | -    | Negative | -     |
| Crocidolite (CAS No.: 12001-28-4)                                       |   | % (w/w) | -    | Negative | -     |
| Tremolite (CAS No.: 77536-68-6)   |   | % (w/w) | -    | Negative | -     |
| Tributyl tin (TBT)  | With reference to ISO 17353: 2004, analysis was performed by GC/FPD.  | mg/kg   | 0.03 | n.d.     | -     |
| Triphenyl tin (TPT)   | With reference to ISO 17353: 2004, analysis was performed by GC/FPD.  | mg/kg   | 0.03 | n.d.     | -     |
| Dibutyl tin (DBT)   | With reference to ISO 17353: 2004, analysis was performed by GC/FPD.  | mg/kg   | 0.03 | n.d.     | -     |
| Diocetyl tin (DOT)  | With reference to ISO 17353: 2004, analysis was performed by GC/FPD.  | mg/kg   | 0.03 | n.d.     | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 4 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)  | Method  | Unit  | MDL | Result | Limit |
|---|---|-------|-----|--------|-------|
|   |   |       |     | No.1   |       |
| <b>AZO Dyes</b>   |   |       |     |        |       |
| 4-Aminobiphenyl (CAS No.: 92-67-1)                                    | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| Benzidine (CAS No.: 92-87-5)  | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 4-chloro-o-toluidine (CAS No.: 95-69-2)                               | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 2-Naphthylamine (CAS No.: 91-59-8)                                    | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| o-Aminoazotoluene (CAS No.: 97-56-3)                                  | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 5-Nitro-o-toluidine (CAS No.: 99-55-8)                                | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 4-Chloroaniline (CAS No.: 106-47-8)                                   | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 4-Methoxy-m-phenylenediamine / 2,4-Diaminoanisole (CAS No.: 615-05-4) | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 4,4'-Methylenedianiline (CAS No.: 101-77-9)                           | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 3,3'-Dichlorobenzidine (CAS No.: 91-94-1)                             | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 3,3'-Dimethoxybenzidine (CAS No.: 119-90-4)                           | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 5 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)  | Method   | Unit  | MDL | Result | Limit |
|---|--|-------|-----|--------|-------|
|   |  |       |     | No.1   |       |
| 3,3'-Dimethylbenzidine (CAS No.: 119-93-7)                | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.                          | mg/kg | 3   | n.d.   | -     |
| 4,4'-Methylenedi-o-toluidine (CAS No.: 838-88-0)          | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.                          | mg/kg | 3   | n.d.   | -     |
| 6-Methoxy-m-toluidine (CAS No.: 120-71-8)                 | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.                          | mg/kg | 3   | n.d.   | -     |
| 4,4'-Methylene-bis-(2-chloro-Aniline) (CAS No.: 101-14-4) | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.                          | mg/kg | 3   | n.d.   | -     |
| 4,4'-Oxydianiline (CAS No.: 101-80-4)                     | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.                          | mg/kg | 3   | n.d.   | -     |
| 4,4'-Thiodianiline (CAS No.: 139-65-1)                    | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.                          | mg/kg | 3   | n.d.   | -     |
| o-Toluidine (CAS No.: 95-53-4)                            | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.                          | mg/kg | 3   | n.d.   | -     |
| 2,4-Diaminotoluene (CAS No.: 95-80-7)                     | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.                          | mg/kg | 3   | n.d.   | -     |
| 2,4,5-Trimethylaniline (CAS No.: 137-17-7)                | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.                          | mg/kg | 3   | n.d.   | -     |
| 2-Methoxyaniline (CAS No.: 90-04-0)                       | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.                          | mg/kg | 3   | n.d.   | -     |
| 4-Aminoazobenzene(4-AAB) (CAS No.: 60-09-3)               | With reference to EN ISO 14362-1: 2017 and EN ISO 14362-3: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 6 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)  | Method  | Unit  | MDL  | Result | Limit |
|---|---|-------|------|--------|-------|
|   |   |       |      | No.1   |       |
| 2,4-Xylidine (CAS No.: 95-68-1)   | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.                                       | mg/kg | 3    | n.d.   | -     |
| 2,6-Xylidine (CAS No.: 87-62-7)   | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.                                       | mg/kg | 3    | n.d.   | -     |
| Beryllium (Be) (CAS No.: 7440-41-7)   | With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.   | mg/kg | 2    | n.d.   | -     |
| Beryllium oxide (BeO) (CAS No.: 1304-56-9)                                    | Calculated from the result of Beryllium.  | mg/kg | 2▲   | n.d.   | -     |
| PFOS and its salts (CAS No.: 1763-23-1 and its salts)                         | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.   | mg/kg | 0.01 | n.d.   | -     |
| Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.   | mg/kg | 0.01 | n.d.   | -     |
| 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) (CAS No.: 3846-71-7)     | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg | 5    | n.d.   | -     |
| Cobalt (Co) (CAS No.: 7440-48-4)  | With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.   | mg/kg | 2    | n.d.   | -     |
| Cobalt dichloride (CoCl <sub>2</sub> ) (CAS No.: 7646-79-9)                   | With reference to RSTS-EE-SVHC-007, analysis was performed by ICP-OES, IC. Calculated from the results of Cobalt, Chlorine. | mg/kg | 50   | n.d.   | -     |
| Dimethyl fumarate (DMFu) (CAS No.: 624-49-7)                                  | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg | 0.1  | n.d.   | -     |
| Tris(2-chloroethyl) phosphate (TCEP) (CAS No.: 115-96-8)                      | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg | 5    | n.d.   | -     |
| Tris(1-chloro-2-propyl) phosphate (TCPP) (CAS No.: 13674-84-5)                | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg | 5    | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 7 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)   | Method  | Unit      | MDL | Result | Limit |
|--|---|-----------|-----|--------|-------|
|  |   |           |     | No.1   |       |
| Tris(1,3-dichloro-2-propyl) phosphate (CAS No.: 13674-87-8)  | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg     | 5   | n.d.   | -     |
| Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( $\alpha$ - HBCDD, $\beta$ - HBCDD, $\gamma$ - HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | With reference to IEC 62321: 2008, analysis was performed by GC/MS.     | mg/kg     | 5   | n.d.   | -     |
| Arsenic (As) (CAS No.: 7440-38-2)  | With reference to US EPA 3052: 1996, analysis was performed by ICP-OES. | mg/kg     | 2   | n.d.   | -     |
| Diarsenic pentoxide ( $As_2O_5$ ) (CAS No.: 1303-28-2)   | Calculated from the result of Arsenic.                                  | mg/kg     | 2▲  | n.d.   | -     |
| Diarsenic trioxide ( $As_2O_3$ ) (CAS No.: 1327-53-3)  | Calculated from the result of Arsenic.                                  | mg/kg     | 2▲  | n.d.   | -     |
| Fluorine (F) (CAS No.: 14762-94-8)   | With reference to BS EN 14582: 2016, analysis was performed by IC.      | mg/kg     | 50  | n.d.   | -     |
| Chlorine (Cl) (CAS No.: 22537-15-1)  | With reference to BS EN 14582: 2016, analysis was performed by IC.      | mg/kg     | 50  | 520000 | -     |
| Bromine (Br) (CAS No.: 10097-32-2)   | With reference to BS EN 14582: 2016, analysis was performed by IC.      | mg/kg     | 50  | n.d.   | -     |
| Iodine (I) (CAS No.: 14362-44-8)   | With reference to BS EN 14582: 2016, analysis was performed by IC.      | mg/kg     | 50  | n.d.   | -     |
| Perchlorate (CAS No.: 14797-73-0)  | Analysis was performed by IC.   | $\mu$ g/g | 0.1 | n.d.   | -     |
| Butyl benzyl phthalate (BBP) (CAS No.: 85-68-7)  | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.   | mg/kg     | 50  | n.d.   | 1000  |
| Dibutyl phthalate (DBP) (CAS No.: 84-74-2)   | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.   | mg/kg     | 50  | n.d.   | 1000  |
| Di-(2-ethylhexyl) phthalate (DEHP) (CAS No.: 117-81-7)   | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.   | mg/kg     | 50  | n.d.   | 1000  |
| Diisobutyl phthalate (DIBP) (CAS No.: 84-69-5)   | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.   | mg/kg     | 50  | n.d.   | 1000  |
| Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)  | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.   | mg/kg     | 50  | n.d.   | -     |
| Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)  | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.   | mg/kg     | 50  | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 8 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                                    | Method  | Unit     | MDL  | Result    | Limit |
|---|---|----------|------|-----------|-------|
|   |   |          |      | No.1      |       |
| Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0) | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.   | mg/kg    | 50   | n.d.      | -     |
| Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3)  | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.   | mg/kg    | 50   | n.d.      | -     |
| <b>Polycyclic Aromatic Hydrocarbons (PAHs)</b>  |   |          |      |           |       |
| Benzo[a]pyrene (CAS No.: 50-32-8)               | With reference to AfPS GS 2019:01 PAK, analysis was performed by GC/MS. | mg/kg    | 0.2  | n.d.      | -     |
| Benzo[e]pyrene (CAS No.: 192-97-2)              |   | mg/kg    | 0.2  | n.d.      | -     |
| Benzo[a]anthracene (CAS No.: 56-55-3)           |   | mg/kg    | 0.2  | n.d.      | -     |
| Benzo[b]fluoranthene (CAS No.: 205-99-2)        |   | mg/kg    | 0.2  | n.d.      | -     |
| Benzo[j]fluoranthene (CAS No.: 205-82-3)        |   | mg/kg    | 0.2  | n.d.      | -     |
| Benzo[k]fluoranthene (CAS No.: 207-08-9)        |   | mg/kg    | 0.2  | n.d.      | -     |
| Chrysene (CAS No.: 218-01-9)                    |   | mg/kg    | 0.2  | n.d.      | -     |
| Dibenzo[a,h]anthracene (CAS No.: 53-70-3)       |   | mg/kg    | 0.2  | n.d.      | -     |
| Benzo[g,h,i]perylene (CAS No.: 191-24-2)        |   | mg/kg    | 0.2  | n.d.      | -     |
| Indeno[1,2,3-c,d]pyrene (CAS No.: 193-39-5)     |   | mg/kg    | 0.2  | n.d.      | -     |
| Anthracene (CAS No.: 120-12-7)                  |   | mg/kg    | 0.2  | n.d.      | -     |
| Fluoranthene (CAS No.: 206-44-0)                |   | mg/kg    | 0.2  | n.d.      | -     |
| Phenanthrene (CAS No.: 85-01-8)                 |   | mg/kg    | 0.2  | 1.18      | -     |
| Pyrene (CAS No.: 129-00-0)                      |   | mg/kg    | 0.2  | n.d.      | -     |
| Naphthalene (CAS No.: 91-20-3)                  |   | mg/kg    | 0.2  | 1.42      | -     |
| <b>Sum of 15 PAHs</b>                           | mg/kg   | -        | 2.60 | -         |       |
| Acenaphthylene (CAS No.: 208-96-8)              | With reference to AfPS GS 2019:01 PAK, analysis was performed by GC/MS. | mg/kg    | 0.2  | n.d.      | -     |
| Acenaphthene (CAS No.: 83-32-9)                 |   | mg/kg    | 0.2  | n.d.      | -     |
| Fluorene (CAS No.: 86-73-7)                     |   | mg/kg    | 0.2  | 0.254     | -     |
| Nickel (Ni) (CAS No.: 7440-02-0)                | With reference to US EPA 3052: 1996, analysis was performed by ICP-OES. | mg/kg    | 2    | n.d.      | -     |
| Radioactive substances                          | Geiger counter.   | μSv/hour | -    | Negative* | -     |
| Bisphenol A (CAS No.: 80-05-7)                  | With reference to RSTS-CHEM-239-1, analysis was performed by LC/MS/MS.  | mg/kg    | 1    | n.d.      | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 9 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                            | Method   | Unit  | MDL | Result | Limit |
|---|--|-------|-----|--------|-------|
|   |  |       |     | No.1   |       |
| <b>Hydrochlorofluorocarbons (HCFCs)</b> |  |       |     |        |       |
| HCFC-21 (CAS No.: 75-43-4)              | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-22 (CAS No.: 75-45-6)              | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-31 (CAS No.: 593-70-4)             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-121 (CAS No.: 354-14-3)            | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-122 (CAS No.: 354-21-2)            | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-123 (CAS No.: 306-83-2)            | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-124 (CAS No.: 2837-89-0)           | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-131 (CAS No.: 359-28-4)            | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-141b (CAS No.: 1717-00-6)          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-221 (CAS No.: 422-26-4)            | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-222 (CAS No.: 422-49-1)            | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 10 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                   | Method   | Unit  | MDL | Result | Limit |
|--------------------------------|--|-------|-----|--------|-------|
|                                |  |       |     | No.1   |       |
| HCFC-223 (CAS No.: 422-52-6)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-224 (CAS No.: 422-54-8)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-225ca (CAS No.: 422-56-0) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-225cb (CAS No.: 507-55-1) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-226 (CAS No.: 431-87-8)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-231 (CAS No.: 421-94-3)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-232 (CAS No.: 460-89-9)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-233 (CAS No.: 7125-84-0)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-234 (CAS No.: 425-94-5)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-235 (CAS No.: 460-92-4)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-241 (CAS No.: 666-27-3)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-242 (CAS No.: 460-63-9)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 11 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                   | Method   | Unit  | MDL | Result | Limit |
|--------------------------------|--|-------|-----|--------|-------|
|                                |  |       |     | No.1   |       |
| HCFC-243 (CAS No.: 460-69-5)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-244                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-251 (CAS No.: 421-41-0)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-252 (CAS No.: 819-00-1)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-253 (CAS No.: 460-35-5)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-261 (CAS No.: 420-97-3)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-262 (CAS No.: 421-02-03)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-271 (CAS No.: 430-55-7)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-133a (CAS No.: 75-88-7)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-142b (CAS No.: 75-68-3)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-132b (CAS No.: 1649-08-7) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-141                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 12 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                      | Method   | Unit  | MDL | Result | Limit |
|-----------------------------------|--|-------|-----|--------|-------|
|                                   |  |       |     | No.1   |       |
| HCFC-142                          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-151                          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-225                          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| <b>Chlorofluorocarbons (CFCs)</b> |  |       |     |        |       |
| CFC-11 (CAS No.: 75-69-4)         | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-12 (CAS No.: 75-71-8)         | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-13 (CAS No.: 75-72-9)         | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-111 (CAS No.: 354-56-3)       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-112 (CAS No.: 76-12-0)        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-113 (CAS No.: 76-13-1)        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-114 (CAS No.: 76-14-2)        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-115 (CAS No.: 76-15-3)        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 13 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                    | Method   | Unit  | MDL | Result | Limit |
|---------------------------------|--|-------|-----|--------|-------|
|                                 |  |       |     | No.1   |       |
| CFC-211 (CAS No.: 422-78-6)     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-212 (CAS No.: 3182-26-1)    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-213 (CAS No.: 2354-06-5)    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-214 (CAS No.: 29255-31-0)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-215 (CAS No.: 4259-43-2)    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-216 (CAS No.: 661-97-2)     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-217 (CAS No.: 422-86-6)     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| <b>Halons</b>                   |  |       |     |        |       |
| Halon-1211 (CAS No.: 353-59-3)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Halon-1301 (CAS No.: 75-63-8)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Halon-2402 (CAS No.: 124-73-2)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Bromomethane (CAS No.: 74-83-9) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 14 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                            | Method   | Unit  | MDL | Result | Limit |
|---|--|-------|-----|--------|-------|
|   |  |       |     | No.1   |       |
| <b>Hydrobromofluorocarbons (HBFCs)</b>  |  |       |     |        |       |
| HBFC-121B4 (C2HFBr4)                    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-122B3 (C2HF2Br3)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-123B2 (C2HF3Br2)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-124B1 (C2HF4Br)                    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-131B3 (C2H2FBr3)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-132B2 (C2H2F2Br2)                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-133B1 (C2H2F3Br)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-141B2 (C2H3FBr2)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-142B1 (C2H3F2Br)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-151B1 (C2H4FBr)                    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-21B2 (CHFBr2) (CAS No.: 1868-53-7) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 15 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                            | Method   | Unit  | MDL | Result | Limit |
|---|--|-------|-----|--------|-------|
|   |  |       |     | No.1   |       |
| HBFC-221B6 (C3HFBr6)                    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-222B5 (C3HF2Br5)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-223B4 (C3HF3Br4)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-224B3 (C3HF4Br3)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-225B2 (C3HF5Br2)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-226B1 (C3HF6Br)                    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-22B1 (CHF2Br) (CAS No.: 1511-62-2) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-231B5 (C3H2FBr5)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-232B4 (C3H2F2Br4)                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-233B3 (C3H2F3Br3)                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-234B2 (C3H2F4Br2)                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-235B1 (C3H2F5Br)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 16 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                           | Method   | Unit  | MDL | Result | Limit |
|--|--|-------|-----|--------|-------|
|  |  |       |     | No.1   |       |
| HBFC-241B4 (C3H3FBr4)                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-242B3 (C3H3F2Br3)                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-243B2 (C3H3F3Br2)                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-244B1 (C3H3F4Br)                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-251B3 (C3H4FBr3)                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-252B2 (C3H4F2Br2)                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-253B1 (C3H4F3Br)                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-261B2 (C3H5FBr2)                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-262B1 (C3H5F2Br)                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-271B1 (C3H6FBr)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-31B1 (CH2FBr) (CAS No.: 373-52-4) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 17 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                           | Method   | Unit  | MDL | Result | Limit |
|--|--|-------|-----|--------|-------|
|  |  |       |     | No.1   |       |
| <b>Hydrofluorocarbon (HFCs)</b>        |  |       |     |        |       |
| HFC-125 (C2HF5)                        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-134 (C2H2F4)                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-134a (CH2FCF3) (CAS No.: 811-97-2) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-143 (CH3F3)                        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-143a (CH3F3)                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-152a (C2H4F2) (CAS No.: 75-37-6)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-227ea (C3HF7) (CAS No.: 431-89-0)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-23 (CHF3) (CAS No.: 75-46-7)       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-236ea (C3H2F6) (CAS No.: 431-63-0) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-236fa (CAS No.: 431-63-0)          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-245ca (C3H3F5)                     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 18 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                                    | Method   | Unit  | MDL | Result | Limit |
|---|--|-------|-----|--------|-------|
|   |  |       |     | No.1   |       |
| HFC-245fa (C3H3F5)                              | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-32 (CH2F2) (CAS No.: 75-10-5)               | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-365mfc (C4H5F5)                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-43-10mee (C5H2F10)                          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-41 (CH3F) (CAS No.: 593-53-3)               | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| <b>Perfluorocarbon (PFCs)</b>                   |  |       |     |        |       |
| Fluorocarbon 116 (CAS No.: 76-16-4)             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,4-dihydrooctafluorobutane (CAS No.: 377-36-6) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 2-Perfluoromethylpentane (CAS No.: 355-04-4)    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Decafluorobutane (CAS No.: 355-25-9)            | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Freon 14 (CAS No.: 75-73-0)                     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Freon 218 (CAS No.: 76-19-7)                    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 19 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)  | Method   | Unit  | MDL | Result | Limit |
|---|--|-------|-----|--------|-------|
|   |  |       |     | No.1   |       |
| Nonafluor-2-(trifluoromethyl)butane (CAS No.: 594-91-2) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Perfluor-1-butene (CAS No.: 357-26-6)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Perfluorisobutene (CAS No.: 382-21-8)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Perfluorohexane (CAS No.: 355-42-0)                     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Perfluoro-n-pentane (CAS No.: 678-26-2)                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Freon C318 (CAS No.: 115-25-3)                          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| <b>Chlorinate hydrocarbon (CHCs)</b>                    |  |       |     |        |       |
| Carbon tetrachloride (CAS No.: 56-23-5)                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,1,1-Trichloroethane (CAS No.: 71-55-6)                | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,1,1,2-Tetrachloroethane (CAS No.: 630-20-6)           | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,1,2,2-Tetrachloroethane (CAS No.: 79-34-5)            | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,1,2-Trichloroethane (CAS No.: 79-00-5)                | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 20 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                                  | Method   | Unit  | MDL | Result | Limit |
|---|--|-------|-----|--------|-------|
|   |  |       |     | No.1   |       |
| 1,1-Dichloroethane (CAS No.: 75-34-3)         | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,1-Dichloroethylene (CAS No.: 75-35-4)       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,1-Dichloropropene (CAS No.: 563-58-6)       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,2,3-Trichloropropane (CAS No.: 96-18-4)     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,2-Dichloroethane (CAS No.: 107-06-2)        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,2-Dichloropropane (CAS No.: 78-87-5)        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,3-Dichloropropane (CAS No.: 142-28-9)       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 2,2-Dichloropropane (CAS No.: 594-20-7)       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Chloroform (CAS No.: 67-66-3)                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Chloromethane (CAS No.: 74-87-3)              | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| cis-1,2-Dichloroethene (CAS No.: 156-59-2)    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| cis-1,3-Dichloropropene (CAS No.: 10061-01-5) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 21 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)  | Method   | Unit  | MDL | Result | Limit |
|---|--|-------|-----|--------|-------|
|   |  |       |     | No.1   |       |
| Dichloromethane (CAS No.: 75-09-2)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Tetrachloroethene (CAS No.: 127-18-4)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| trans-1,2-Dichloroethene (CAS No.: 156-60-5)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| trans-1,3-Dichloropropene (CAS No.: 10061-02-6)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Trichloroethylene (CAS No.: 79-01-6)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Chloroethane (CAS No.: 75-00-3)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Hexachlorobutadiene (CAS No.: 87-68-3)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Bromochloromethane (CAS No.: 74-97-5)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Sulphur hexafluoride (SF6) (CAS No.: 2551-62-4)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,6,7,8,9,14,15,16,17, 17,18,18-Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ( "Dechlorane Plus" TM) [covering any of its individual anti- and syn-isomers or any combination thereof] | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg | 100 | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 22 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)   | Method  | Unit  | MDL   | Result | Limit |
|--|---|-------|-------|--------|-------|
|  |   |       |       | No.1   |       |
| Perfluorobutane Acid (PFBA) (CAS No.: 375-22-4)                              | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluoropentane Acid (PFPA) (CAS No.: 2706-90-3)                            | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorohexane Acid (PFHxA) (CAS No.: 307-24-4)                             | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| 7H-Dodecanefluoroheptane Acid (HPFHpA) (CAS No.: 1546-95-8)                  | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorobutane Sulfonate (PFBS) (CAS No.: 375-73-5)                         | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorobutane Sulfonate K-salt (PFBS-K) (CAS No.: 29420-49-3)              | Calculated from the result of Perfluorobutane Sulfonate (PFBS).           | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluoroheptane Acid (PFHpA) (CAS No.: 375-85-9)                            | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorooctanesulphonic acid (H4PFOS 6:2) (CAS No.: 27619-97-2) | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorooctanoic acid (PFOA) and its salt (CAS No.: 335-67-1 and its salts) | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Ammonium pentadecafluorooctanoate (APFO) (CAS No.: 3825-26-1)                | Calculated from the result of PFOA and its salts.                         | mg/kg | 0.01▲ | n.d.   | -     |
| Sodium perfluorooctanoate (PFOA-Na) (CAS No.: 335-95-5)                      | Calculated from the result of PFOA and its salts.                         | mg/kg | 0.01▲ | n.d.   | -     |
| Potassium perfluorooctanoate (PFOA-K) (CAS No.: 2395-00-8)                   | Calculated from the result of PFOA and its salts.                         | mg/kg | 0.01▲ | n.d.   | -     |
| Silver perfluorooctanoate (PFOA-Ag) (CAS No.: 335-93-3)                      | Calculated from the result of PFOA and its salts.                         | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluorooctanoyl fluoride (PFOA-F) (CAS No.: 335-66-0)                      | Calculated from the result of PFOA and its salts.                         | mg/kg | 0.01▲ | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 23 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)   | Method  | Unit  | MDL   | Result | Limit |
|--|---|-------|-------|--------|-------|
|  |   |       |       | No.1   |       |
| 2H,2H-Perfluorodecane Acid (H2PFDA) (CAS No.: 882489-14-7)               | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorohexane sulfonate (PFHxS) (CAS No.: 355-46-4)                    | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorohexanesulfonate Na-salt (PFHxS-Na) (CAS No.: 82382-12-5)        | Calculated from the result of Perfluorohexane sulfonate (PFHxS).          | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluorohexanesulfonate K-salt (PFHxS-K) (CAS No.: 3871-99-6)           | Calculated from the result of Perfluorohexane sulfonate (PFHxS).          | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluorononane Acid (PFNA) (CAS No.: 375-95-1)                          | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorononanoate Na-Salt (PFNA-Na) (CAS No.: 21049-39-8)               | Calculated from the result of Perfluorononane Acid (PFNA).                | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluorononanoate ammonium salt (APFN) (CAS No.: 4149-60-4)             | Calculated from the result of Perfluorononane Acid (PFNA).                | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluoro-3,7-dimethyloctanoic acid (PF-3,7-DMOA) (CAS No.: 172155-07-6) | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluoroheptane Sulfonate (PFHpS) (CAS No.: 375-92-8)                   | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluoroheptanesulfonate Na-salt (PFHpS-Na) (CAS No.: 68555-66-8)       | Calculated from the result of Perfluoroheptane Sulfonate (PFHpS).         | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluorodecane Acid (PFDA) (CAS No.: 335-76-2)                          | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorodecanoate Na-salt (PFDA-Na) (CAS No.: 3830-45-3)                | Calculated from the result of Perfluorodecane Acid (PFDA).                | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluorodecanoate ammonium salt (APFDA) (CAS No.: 3108-42-7)            | Calculated from the result of Perfluorodecane Acid (PFDA).                | mg/kg | 0.01▲ | n.d.   | -     |
| 2H,2H,3H,3H-Perfluoroundecanoic Acid (4HPFUnA) (CAS No.: 34598-33-9)     | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 24 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)  | Method  | Unit  | MDL   | Result | Limit |
|---|---|-------|-------|--------|-------|
|   |   |       |       | No.1   |       |
| PFOS and its salts (CAS No.: 1763-23-1 and its salts)   | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorooctanesulfonamide (PFOSA) (CAS No.: 754-91-6)  | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| N-Methyl-Perfluorooctanesulfonamide (N-Me-FOSA) (CAS No.: 31506-32-8)   | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| N-ethylperfluoro-1-octanesulfonamide (EtFOSA) (CAS No.: 4151-50-2)  | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| N-Methyl-Perfluorooctanesulfonamidoethanol (N-Me-FOSE alcohol) (CAS No.: 24448-09-7)  | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| N-Ethyl-Perfluorooctanesulfonamidoethanol (N-Et-FOSE alcohol) (CAS No.: 1691-99-2)  | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorooctane Sulfonyl fluoride (POSF) (CAS No.: 307-35-7)  | Calculated from the result of PFOS and its salts.                         | mg/kg | 0.01▲ | n.d.   | -     |
| Potassium Perfluorooctanesulfonate (PFOS-K) (CAS No.: 2795-39-3)  | Calculated from the result of PFOS and its salts.                         | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH <sub>4</sub> ) (CAS No.: 29081-56-9)   | Calculated from the result of PFOS and its salts.                         | mg/kg | 0.01▲ | n.d.   | -     |
| N-decyl-N,N-dimethyldecyl-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctane-1-sulfonate (PFOS-DDA) (CAS No.: 251099-16-8) | Calculated from the result of PFOS and its salts.                         | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) <sub>2</sub> ) (CAS No.: 70225-14-8)                                       | Calculated from the result of PFOS and its salts.                         | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluorooctanesulfonic acid, lithium salt (PFOS-Li) (CAS No.: 29457-72-5)  | Calculated from the result of PFOS and its salts.                         | mg/kg | 0.01▲ | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 25 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)  | Method  | Unit  | MDL   | Result | Limit |
|---|---|-------|-------|--------|-------|
|   |   |       |       | No.1   |       |
| Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> ) (CAS No.: 56773-42-3) | Calculated from the result of PFOS and its salts.                         | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluoroundecanoic Acid (PFUnA) (CAS No.: 2058-94-8)   | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorododecanoic Acid (PFDoA) (CAS No.: 307-55-1)  | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorodecane Sulfonate (PFDS) (CAS No.: 126105-34-8/ 335-77-3)   | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorodecanesulfonate Na-salt (PFDS-Na) (CAS No.: 2806-15-7)   | Calculated from the result of Perfluorodecane Sulfonate (PFDS).           | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluorodecanesulfonate K-salt (PFDS-K) (CAS No.: 2806-16-8)   | Calculated from the result of Perfluorodecane Sulfonate (PFDS).           | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluoroaliphatic Dean-sulfonate salt of NH <sub>4</sub> (PFDS-NH <sub>4</sub> ) (CAS No.: 67906-42-7)                           | Calculated from the result of Perfluorodecane Sulfonate (PFDS).           | mg/kg | 0.01▲ | n.d.   | -     |
| Perfluorotridecanoic Acid (PFTrA) (CAS No.: 72629-94-8)   | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Perfluorotetradecanoic Acid (PFTeA) (CAS No.: 376-06-7)   | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS) (CAS No.: 39108-34-4)  | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01  | n.d.   | -     |
| Methyl perfluorooctanoate (Me-PFOA) (CAS No.: 376-27-2)   | With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.    | mg/kg | 0.1   | n.d.   | -     |
| Ethyl perfluorooctanoate (Et-PFOA) (CAS No.: 3108-24-5)   | With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.    | mg/kg | 0.1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 26 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)  | Method   | Unit  | MDL | Result | Limit |
|---|--|-------|-----|--------|-------|
|   |  |       |     | No.1   |       |
| 1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) (CAS No.: 678-39-7)          | With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS. | mg/kg | 0.1 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA) (CAS No.: 27905-45-9)     | With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS. | mg/kg | 0.1 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA) (CAS No.: 1996-88-9) | With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS. | mg/kg | 0.1 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluoro-1-hexanol (4:2 FTOH) (CAS No.: 2043-47-2)         | With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Perfluoro-1-iodooctane (PFOI) (CAS No.: 507-63-1)                       | With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS. | mg/kg | 0.1 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluoro-1-octanol (6:2 FTOH) (CAS No.: 647-42-7)          | With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorooctyl acrylate (6:2 FTA) (CAS No.: 17527-29-6)     | With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorododecyl acrylate (10:2 FTA) (CAS No.: 17741-60-5)  | With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS. | mg/kg | 0.2 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluoro-1-dodecanol (10:2 FTOH) (CAS No.: 865-86-1)       | With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS. | mg/kg | 0.2 | n.d.   | -     |
| Decabromodiphenyl ethane (DBDPE) (CAS No.: 84852-53-9)                  | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg | 50  | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 27 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)  | Method   | Unit  | MDL | Result | Limit                |
|---|--|-------|-----|--------|----------------------|
|   |  |       |     | No.1   |                      |
| Decabromodiphenyl ether (DecaBDE)<br>(CAS No.: 1163-19-5)                 | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg | 5   | n.d.   | Prohibited / N/A(*3) |
| Phenol, isopropylated, phosphate (3:1)<br>(PIP 3:1) (CAS No.: 68937-41-7) | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg | 5   | n.d.   | Prohibited / N/A(*1) |
| 2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP)<br>(CAS No.: 732-26-3)          | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg | 5   | n.d.   | 3000 / N/A(*2)       |
| Pentachlorothiophenol (PCTP) (CAS No.: 133-49-3)                          | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg | 5   | n.d.   | 10000                |
| Hexachlorobutadiene (HCBd) (CAS No.: 87-68-3)                             | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg | 5   | n.d.   | Prohibited           |
| 1-Bromopropane (CAS No.: 106-94-5)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -                    |
| 1,4-Dioxane (CAS No.: 123-91-1)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -                    |
| 1-Methyl-2-pyrrolidone (CAS No.: 872-50-4)                                | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -                    |
| 1,3-Butadiene (CAS No.: 106-99-0)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -                    |
| 1,2-Dichlorobenzene (CAS No.: 95-50-1)                                    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -                    |
| 1,4-Dichlorobenzene (CAS No.: 106-46-7)                                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -                    |
| Di-cyclohexyl phthalate (DCHP) (CAS No.: 84-61-7)                         | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  | mg/kg | 50  | n.d.   | -                    |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 28 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

| Test Item(s)                                      | Method   | Unit  | MDL | Result | Limit |
|---|--|-------|-----|--------|-------|
|   |  |       |     | No.1   |       |
| 1,2-Dibromoethane (CAS No.: 106-93-4)             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Triphenyl phosphate (TPP) (CAS No.: 115-86-6)     | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg | 5   | n.d.   | -     |
| Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7) | With reference to RSTS-E&E-121, analysis was performed by LC/MS.       | mg/kg | 10  | n.d.   | -     |
| Phthalic anhydride (CAS No.: 85-44-9)             | With reference to US EPA 3550C: 2007, analysis was performed by LC/MS. | mg/kg | 50  | n.d.   | -     |

**Note :**

1. mg/kg = ppm ; 0.1wt% = 1000ppm
2. MDL = Method Detection Limit
3. n.d. = Not Detected ( Less than MDL)
4. "-" = Not Regulated
5. \*\*= Qualitative analysis (No Unit)
6. Negative = Undetectable ; Positive = Detectable
7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
8. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula :  $AX = A \times F$

| AX                    | A         | F      |
|-----------------------|-----------|--------|
| Diarsenic pentaoxide  | Arsenic   | 1.5339 |
| Diarsenic trioxide    | Arsenic   | 1.3203 |
| Beryllium oxide (BeO) | Beryllium | 2.7753 |

Parameter Conversion Table : [https://eecloud.sgs.com/Region\\_TW/DocDownload.aspx#otherDoc](https://eecloud.sgs.com/Region_TW/DocDownload.aspx#otherDoc)

9. Negative\*/Positive\*: The test result of Geiger counter is from comparison between test outcome and environment background. In general, there is little radiation dose existing in environment. (Radiation dose from environment background usually less than or equal to 0.2µSv/hr)  
The test result less than environment background was shown as Negative\*; the result greater than environment background was shown as Positive\*.
10. The statement of compliance conformity is based on comparison of testing results and limits.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

11. Detail explanation of the regulation is available at the following link.  
<https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/persistent-bioaccumulative-and-toxic-pbt-chemicals-under>
12. N/A(\*1) : The submitted sample is exempted from the regulated scope if it is anyone of the following :
  - Hydraulic fluids for aviation or military
  - Lubricants and grease
  - New and replacement parts for motor and aerospace vehicles
  - Manufacture of cyanoacrylate adhesives in closed systems
  - Specialized engine air filters for locomotive and marine applications
  - Plastic for recycling from PIP (3:1)-containing products or articles
  - Finished products or articles made of plastic recycled from PIP (3:1)-containing products or articles
13. N/A(\*2) : The submitted sample is exempted from the regulated scope if it is not oil and lubricant additives.
14. N/A(\*3) : The submitted sample is exempted from the regulated scope if it is anyone of the following :  
Exempts processing and distribution for recycling of DecaBDE-containing plastic from products or articles and DecaBDE-containing products or articles made from such recycled plastic.
15. This is the additional test report of EKR22100587.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR22100587M02

Date: 09-Feb-2022

Page: 30 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

**Remark :**

**Δ AfPS (German commission for Product Safety): GS PAHs requirements**


| Parameter               | Category 1   | Category 2   |                            | Category 3                  |   |
|-------------------------|--|--|----------------------------|-----------------------------|---|
|                         | Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended long-term skin contact (> 30 seconds). | Materials that are not in Category 1, with intended or foreseeable long-term skin contact (> 30 seconds) or short-term repetitive contact with the skin. |                            |                             | Materials not covered by Category 1 or 2, with intended or foreseeable short-term skin contact (≤30 seconds). |
|                         |  | a. Use by children under 14  | b. Other consumer products | a. Use by children under 14 | b. Other consumer products  |
| Naphthalene             | < 1  | < 2  |                            | < 10                        |   |
| Phenanthrene            | < 1 Sum  | < 5 Sum  | < 10 Sum                   | < 20 Sum                    | < 50 Sum  |
| Anthracene              |  |  |                            |                             |   |
| Fluoranthene            |  |  |                            |                             |   |
| Pyrene                  |  |  |                            |                             |   |
| Benzo[a]anthracene      | < 0.2  | < 0.2  | < 0.5                      | < 0.5                       | < 1   |
| Chrysene                | < 0.2  | < 0.2  | < 0.5                      | < 0.5                       | < 1   |
| Benzo[b]fluoranthene    | < 0.2  | < 0.2  | < 0.5                      | < 0.5                       | < 1   |
| Benzo[j]fluoranthene    | < 0.2  | < 0.2  | < 0.5                      | < 0.5                       | < 1   |
| Benzo[k]fluoranthene    | < 0.2  | < 0.2  | < 0.5                      | < 0.5                       | < 1   |
| Benzo[a]pyrene          | < 0.2  | < 0.2  | < 0.5                      | < 0.5                       | < 1   |
| Benzo[e]pyrene          | < 0.2  | < 0.2  | < 0.5                      | < 0.5                       | < 1   |
| Indeno[1,2,3-c,d]pyrene | < 0.2  | < 0.2  | < 0.5                      | < 0.5                       | < 1   |
| Dibenzo[a,h]anthracene  | < 0.2  | < 0.2  | < 0.5                      | < 0.5                       | < 1   |
| Benzo[g,h,i]perylene    | < 0.2  | < 0.2  | < 0.5                      | < 0.5                       | < 1   |
| Sum of 15 PAH           | < 1  | < 5  | < 10                       | < 20                        | < 50  |

Unit : mg/kg

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

### Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( Cr<sup>6+</sup> test method excluded )




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

### PBB/PBDE analytical FLOW CHART



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

### Analytical flow chart

\* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)


### Analytical flow chart - Formaldehyde



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

### Analysis flow chart for determination of Asbestos

#### 【Reference method: EPA 600/R-93/116】




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

### Analytical flow chart - Organic-Tin




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

### Analytical flow chart of Elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method : US EPA 3051 、 US EPA 3052】




\* US EPA 3051 method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

### Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



FORMOSA PLASTICS CORPORATION


NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

### Analytical flow chart of Dimethyl Fumarate



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

### Analytical flow chart - Organic phosphorus compounds




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

### Analytical flow chart - HBCDD




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

### Analytical flow chart of Halogen




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

### Analytical flow chart of phthalate content

【Test method: IEC 62321-8】




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

### PAHs (PolyAromaticHydrocarbons) analytical flow chart




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

### BPA analytical FLOW CHART




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)


## Analytical flow chart of volatile organic compounds (VOCs)

【Reference method : US EPA 5021A】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

### Analytical flow chart - Persistent, Bioaccumulative, Toxic (PBTs)




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

### TBBP-A analytical flow chart




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

### Analysis flow chart - PVC



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## Test Report

No.: EKR22100587M02

Date: 09-Feb-2022


Page: 50 of 50

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., JEN-WU DIST., KAOHSIUNG CITY, TAIWAN (R.O.C.)

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

### EKR22100587



\*\* End of Report \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.