SAFETY DATA SHEET

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product Catalogue NO: K-740 · K-210 Product name: Resin Impact Modifier Manufacturer/supplier identification Company; FORMOSA PLASTICS CORPORATION LINYUAN PLANT Emergency telephone/FAX NO: (886)-07-6419911-563/(886)-07-6429940

2.Composition/information on ingredients

Synonyms:-CAS-NO: 143106-82-5 Molecular formula: C₅H₈O₂ - C₇H₁₂O₂ - C₇H₁₀O₂ - C₂H₆OSi

3. Hazards identification

GHS Classification This product is not hazardous per the Globally Harmonized System of Classification and Labelling (GHS). Other hazards No data available

4. First aid measures

Primary Entry: Inhalation, Skin Contact / absorption
FIRST AID:
Eye Contact: Rinse immediately with plenty of water for at least 15 minutes and refer for medical attention.
Skin Contact: After rinsing affected area with flooding amounts of water, wash it with soap and water.
Inhalation: Remove exposed person to fresh air and support breathing as needed. Have qualified medical personnel administer oxygen as required and refer for medical attention.

5. Fire aid measures

Extinguishing Media: Use carbon dioxide (CO₂), foams, dry chemical, or water fog to put out AM fires with a smothering effect.
Special Fire-fighting Procedures: 1.Wear a self-contained breathing apparatus.
2.Control the fire temperature below 250°C in order to avoid the phenomenon of AM decomposition.

6.Accidental release measures

Person-related precautionary measures:

Do not inhale dust use dust mask, Ensure good ventilation and local exhaustion of the working area.

Environmental-protection measures: not applicable

Procedures for cleaning/absorption:weep up and place in suitable container for waste disposal. The waste should not be Incinerated. Store it in a ventilated area.

SAFETY DATA SHEET

Page:2.0

7.Handling and storage

Handling: When using do not eat, drink or smoke. Wash thoroughly after handling. Storage: Keep away from heat, spark, and flames. Store it in a ventilated area.

8. Exposure controls/personal protection

Goggles: Wear protective eyeglass or chemical safety goggles.
Respirator: Wear a NIOSH approved filter respirators.
Ventilation: Provide local exhaust ventilation.
Storage Requirement: Store AM in containers in a well-ventilated, fire proof area away from heat or ignition sources.
Exposure Limits: NO occupational exposure limits.
Occupational Spill: Shut ignition sources. For small spills, sweep up and place in a container. Afterward, flush residual spill area with copious amount of water. At that time, avoid environmental contamination. No smoking, flames or flares in hazard area. Keep unnecessary people away.

9. Physical and chemical properties

Form: powder
Color: white
Odor: odorless
PH value: not applicable
Viscosity dynamic: not applicable
Melting temperature: not applicable
Solidification point: not applicable
Boiling temperature: not applicable
Flash point: not applicable
Explosion limits: not applicable
Solubility in water: practically insoluble
Bulk Density: >0.3g/cm ³
Fusion Temperature: >180°C
Volatile by weight: 1.0max

10.Stahility and reactivity

Stability / Polymerization: AM is stable at room temperature during routine operations. Hazardous polymerization Cannot occur. Conditions to Avoid: Prevent exposure to heat and high temperature. Hazardous Products of Decomposition: AM can produce carbon dioxide (CO₂) and toxic carbon monoxide (CO) when operation temperature is higher than 250°C.

SAFETY DATA SHEET

11.Toxicological information

None

12. Ecological information

None

13.Disposal considerations

Sweep up and place in suitable container for waste disposal. The waste should not be incinerated. Store it in a ventilated area.

14.Transport information

US DOT Hazard Class: NONREGULATED

15.Regulatory information

Follow all regulations in your country.

16.0ther information

Reason for alteration: General update. Date of issue:2022/02/08