

## Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 1 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By : FORMOSA PLASTICS CORPORATION  
Sample Name : PROCESSING AIDS  
Style/Item No. : P-220

Sample Receiving Date : 05-Jan-2026  
Testing Period : 05-Jan-2026 to 19-Jan-2026

**Test Requested** :

- (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).
- (2) As specified by client, the sample(s) was/ were tested for 5 PBTs with reference to TSCA section 6 and 40 CFR Part 751. Please refer to result table for testing items.
- (3) As specified by client, the sample(s) was/ were tested for specific high priority chemical(s) with reference to TSCA section 6 and 40 CFR Part 751. Please refer to result table for testing item(s).
- (4) As requested by the client, the risk of specific PFAS in the selected sample is evaluated. The total amounts of evaluated PFAS are 679 items, concluding 158 tested items and 521 listed items (see PFAS Remark).
- (5) As specified by client, to test PAHs and other item(s).

**Test Results** : Please refer to following pages.

**Conclusion** :

- (1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.
- (2) Based on the performed tests on submitted sample(s), the test results of PBTs comply with the limits as set by TSCA section 6 and 40 CFR Part 751.
- (3) Based on the performed tests on submitted sample(s), the test results of specific high priority chemical(s) comply with the limits as set by TSCA section 6 and 40 CFR Part 751.

*Ray Chang*

Ray Chang, Ph.D./Department Manager  
Signed for and on behalf of  
SGS TAIWAN LTD.  
Chemical Laboratory-Kaohsiung



PIN CODE: 6673891F

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 2 of 80

FORMOSA PLASTICS CORPORATION  
NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

## Test Part Description

No.1 : WHITE POWDER

## Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Cadmium (Cd)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.	100
Lead (Pb)		mg/kg	2	n.d.	1000
Mercury (Hg)	With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Hexavalent Chromium Cr(VI)	With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.	mg/kg	8	n.d.	1000
Monobromobiphenyl	With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	-
Pentabromobiphenyl		mg/kg	5	n.d.	-
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
<b>Sum of PBBs</b>		mg/kg	-	n.d.	1000
Monobromodiphenyl ether		mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether	mg/kg	5	n.d.	-	
Heptabromodiphenyl ether	mg/kg	5	n.d.	-	
Octabromodiphenyl ether	mg/kg	5	n.d.	-	
Nonabromodiphenyl ether	mg/kg	5	n.d.	-	
Decabromodiphenyl ether	mg/kg	5	n.d.	-	
<b>Sum of PBDEs</b>	mg/kg	-	n.d.	1000	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 3 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Polychlorinated biphenyls (PCBs)	With reference to US EPA 8082A: 2007, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.	-
Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8)	With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Formaldehyde (CAS No.: 50-00-0)	With reference to ISO 17226-1: 2021, analysis was performed by LC/DAD.	mg/kg	3	18.3	-
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.	**	-	Negative	-
<b>Asbestos</b>					
Actinolite (CAS No.: 77536-66-4)	With reference to EPA 600/R-93/116: 1993, analysis was performed by Stereo Microscope (SM), Dispersion Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD).	-	-	Negative	-
Amosite (CAS No.: 12172-73-5)		-	-	Negative	-
Anthophyllite (CAS No.: 77536-67-5)		-	-	Negative	-
Chrysotile (CAS No.: 12001-29-5)		-	-	Negative	-
Crocidolite (CAS No.: 12001-28-4)		-	-	Negative	-
Tremolite (CAS No.: 77536-68-6)		-	-	Negative	-
<b>AZO Dyes</b>					
4-Aminobiphenyl (CAS No.: 92-67-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
Benzidine (CAS No.: 92-87-5)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-chloro-o-toluidine (CAS No.: 95-69-2)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2-Naphthylamine (CAS No.: 91-59-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 4 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
o-Aminoazotoluene (CAS No.: 97-56-3)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
5-Nitro-o-toluidine (CAS No.: 99-55-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-Chloroaniline (CAS No.: 106-47-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-Methoxy-m-phenylenediamine / 2,4-Diaminoanisole (CAS No.: 615-05-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-Diaminodiphenylmethane (CAS No.: 101-77-9)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-Dichlorobenzidine (CAS No.: 91-94-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-Dimethoxybenzidine (CAS No.: 119-90-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-Dimethylbenzidine (CAS No.: 119-93-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-Methylenedi-o-toluidine (CAS No.: 838-88-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
6-Methoxy-m-toluidine (CAS No.: 120-71-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-Methylene-bis-(2-chloro-Aniline) (CAS No.: 101-14-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-Oxydianiline (CAS No.: 101-80-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 5 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
4,4'-Thiodianiline (CAS No.: 139-65-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-Toluidine (CAS No.: 95-53-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4-Diaminotoluene (CAS No.: 95-80-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4,5-Trimethylaniline (CAS No.: 137-17-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2-Methoxyaniline (CAS No.: 90-04-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-Aminoazobenzene (CAS No.: 60-09-3)	With reference to EN ISO 14362-1: 2017 and EN ISO 14362-3: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4-Xylidine (CAS No.: 95-68-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,6-Xylidine (CAS No.: 87-62-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Beryllium oxide (BeO) (CAS No.: 1304-56-9)	Calculated from the result of Beryllium.	mg/kg	2▲	n.d.	-
Cobalt dichloride (CoCl <sub>2</sub> ) (CAS No.: 7646-79-9)	With reference to RSTS-EE-SVHC-007, analysis was performed by ICP-OES, IC. Calculated from the results of Cobalt, Chlorine.	mg/kg	50	n.d.	-
Cobalt (Co) (CAS No.: 7440-48-4)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 6 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Dimethyl fumarate (DMFu) (CAS No.: 624-49-7)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Tris(2-chloroethyl) phosphate (TCEP) (CAS No.: 115-96-8)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Tris(1-chloro-2-propyl) phosphate (TCPP) (CAS No.: 13674-84-5)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Tris(1,3-dichloro-2-propyl) phosphate (CAS No.: 13674-87-8)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( $\alpha$ - HBCDD, $\beta$ - HBCDD, $\gamma$ - HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Perchlorate (CAS No.: 14797-73-0)	Analysis was performed by IC.	$\mu$ g/g	0.1	n.d.	-
Tributyl tin (TBT)	With reference to ISO 17353: 2004, analysis was performed by GC/MS.	mg/kg	0.03	n.d.	-
Triphenyl tin (TPT)	With reference to ISO 17353: 2004, analysis was performed by GC/MS.	mg/kg	0.03	n.d.	-
Dibutyl tin (DBT)	With reference to ISO 17353: 2004, analysis was performed by GC/MS.	mg/kg	0.03	n.d.	-
Diocetyl tin (DOT)	With reference to ISO 17353: 2004, analysis was performed by GC/MS.	mg/kg	0.03	n.d.	-
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Dibutyl phthalate (DBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Butyl benzyl phthalate (BBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Diisobutyl phthalate (DIBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 7 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
<b>Chlorofluorocarbons (CFCs)</b>					
CFC-13	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-111	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-112	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-211	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-212	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-213	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-214	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-215	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-216	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-217	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-12	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-11	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-115	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-114	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-113	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 8 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
<b>Hydrochlorofluorocarbons (HCFCs)</b>					
HCFC-21	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-22	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-31	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-121	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-122	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-123	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-124	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-131	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-142b	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-221	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-222	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-223	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-224	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-225ca	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-225cb	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-226	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-231	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 9 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HCFC-232	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-233	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-234	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-235	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-241	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-242	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-244	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-251	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-252	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-261	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-262	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-271	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-141b	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-243	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-253	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-141	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-142	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-151	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 10 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HCFC-225	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-132	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-133	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
<b>Halons</b>					
Halon-1211 (CAS No.: 353-59-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Halon-1301 (CAS No.: 75-63-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Halon-2402 (CAS No.: 124-73-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Halon-1202 (CAS No.: 75-61-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Bromomethane (CAS No.: 74-83-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
<b>Hydrobromofluorocarbons (HBFCs)</b>					
HBFC-271B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-262B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-261B2	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-253B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-252B2	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-244B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-243B2	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-242B3	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-241B4	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 11 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HBFC-235B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-234B2	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-233B3	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-232B4	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-231B5	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-226B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-225B2	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-224B3	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-223B4	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-222B5	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-221B6	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-151B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-142B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-141B2	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-133B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-132B2	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-131B3	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-124B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 12 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HBFC-123B2	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-122B3	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-121B4	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-31B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-22B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-21B2	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-251B1	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
<b>Chlorinate hydrocarbon (CHCs)</b>					
Carbon tetrachloride (CAS No.: 56-23-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1,1-Trichloroethane (CAS No.: 71-55-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1,1,2-Tetrachloroethane (CAS No.: 630-20-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1,2,2-Tetrachloroethane (CAS No.: 79-34-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1,2-Trichloroethane (CAS No.: 79-00-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1-Dichloroethane (CAS No.: 75-34-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1-Dichloroethylene (CAS No.: 75-35-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1-Dichloropropene (CAS No.: 563-58-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,2,3-Trichloropropane (CAS No.: 96-18-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,2-Dichloroethane (CAS No.: 107-06-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 13 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1,2-Dichloropropane (CAS No.: 78-87-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,3-Dichloropropane (CAS No.: 142-28-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
2,2-Dichloropropane (CAS No.: 594-20-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Chloroform (CAS No.: 67-66-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Chloromethane (CAS No.: 74-87-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
cis-1,2-Dichloroethene (CAS No.: 156-59-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
cis-1,3-Dichloropropene (CAS No.: 10061-01-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Dichloromethane (CAS No.: 75-09-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Tetrachloroethene (CAS No.: 127-18-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
trans-1,2-Dichloroethene (CAS No.: 156-60-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
trans-1,3-Dichloropropene (CAS No.: 10061-02-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Trichloroethylene (CAS No.: 79-01-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Chloroethane (CAS No.: 75-00-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Hexachlorobutadiene (CAS No.: 87-68-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
<b>Hydrofluorocarbon (HFCs)</b>					
HFC-23	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-32	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-41	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 14 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HFC-43-10mee	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-125	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-134	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-134a	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-143	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-143a	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-152a	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-227ea	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-236fa	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-245ca	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-245fa	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-365mfc	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-236ea	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-236cb	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-161	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-152	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
<b>Perfluorocarbon (PFCs)</b>					
Perfluorohexane (CAS No.: 355-42-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 15 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
2-Perfluoromethylpentane (CAS No.: 355-04-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Perfluoro-n-pentane (CAS No.: 678-26-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Freon C318 (CAS No.: 115-25-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Decafluorobutane (CAS No.: 355-25-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Freon 218 (CAS No.: 76-19-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Fluorocarbon 116 (CAS No.: 76-16-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Freon-14 (CAS No.: 75-73-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Perfluorodecalin (CAS No.: 306-94-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Sulphur hexafluoride (SF6) (CAS No.: 2551-62-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1-Bromopropane (CAS No.: 106-94-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Bromoethane (CAS No.: 74-96-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Trifluoroiodomethane (CAS No.: 2314-97-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
2-Bromo-3,3,3-trifluoroprop-1-ene (CAS No.: 1514-82-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Bromochloromethane (CAS No.: 74-97-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) (CAS No.: 3846-71-7)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Radioactive substances	Geiger counter.	µSv/hour	-	Negative*	-
Bisphenol A (CAS No.: 80-05-7)	With reference to RSTS-CHEM-239-1, analysis was performed by LC/MS/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 16 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)		mg/kg	50	n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)		mg/kg	50	n.d.	-
Iodine (I) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
Nickel (Ni) (CAS No.: 7440-02-0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Diarsenic trioxide (As <sub>2</sub> O <sub>3</sub> ) (CAS No.: 1327-53-3)	Calculated from the result of Arsenic.	mg/kg	2▲	n.d.	-
Diarsenic pentaoxide (As <sub>2</sub> O <sub>5</sub> ) (CAS No.: 1303-28-2)	Calculated from the result of Arsenic.	mg/kg	2▲	n.d.	-
1,6,7,8,9,14,15,16,17, 17,18,18-Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ( "Dechlorane Plus" TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Decabromodiphenylethane (CAS No.: 84852-53-9)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Decabromodiphenyl ether (DecaBDE) (CAS No.: 1163-19-5)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	1000 / N/A(*3)
Phenol, isopropylated, phosphate (3:1) (PIP 3:1) (CAS No.: 68937-41-7)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	1000 / N/A(*1)
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (CAS No.: 732-26-3)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	3000 / N/A(*2)
Pentachlorothiophenol (PCTP) (CAS No.: 133-49-3)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	10000
Hexachlorobutadiene (HCBd) (CAS No.: 87-68-3)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	Prohibited
Methylene chloride (CAS No.: 75-09-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	1000 / N/A(*4)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 17 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1-Bromopropane (CAS No.: 106-94-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,4-Dioxane (CAS No.: 123-91-1)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1-Methyl-2-pyrrolidone (CAS No.: 872-50-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,3-butadiene (CAS No.: 106-99-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,2-Dichlorobenzene (CAS No.: 95-50-1)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,4-Dichlorobenzene (CAS No.: 106-46-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Di-cyclohexyl phthalate (DCHP) (CAS No.: 84-61-7)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
1,2-Dibromoethane (CAS No.: 106-93-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	With reference to RSTS-E&E-121, analysis was performed by LC/MS.	mg/kg	10	n.d.	-
Triphenyl phosphate (TPP) (CAS No.: 115-86-6)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Phthalic anhydride (CAS No.: 85-44-9)	With reference to US EPA 3550C: 2007, analysis was performed by LC/MS.	mg/kg	50	n.d.	-
Pigment Violet 29 (CAS No.: 81-33-4)	With reference to US EPA 3550C: 2007, analysis was performed by LC/DAD.	mg/kg	50	n.d.	-
Galaxolide (HHCB) (CAS No.: 1222-05-5)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
<b>LCPFAC</b>					
1-Hexadecanol, 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,13,14,14,15,15,16,16-nonacosafuoro-. (as Fluorine) (CAS No.: 60699-51-6)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 18 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Hexadecane, 1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,13,14,14-nonacosafuoro-16-iodo-. (as Fluorine) (CAS No.: 65510-55-6)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Alcohols, C8-14, .gamma.-.omega.-perfluoro (as Fluorine) (CAS No.: 68391-08-2)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Thiols, C8-20, .gamma.-.omega.-perfluoro, telomers with acrylamide. (as Fluorine) (CAS No.: 70969-47-0)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Silicic acid (H4SiO4), sodium salt (1:2), reaction products with chlorotrimethylsilane and 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluoro-1-decanol. (as Fluorine) (CAS No.: 125476-71-3)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Thiols, C4-20, .gamma.-.omega.-perfluoro, telomers with acrylamide and acrylic acid, sodium salts. (as Fluorine) (CAS No.: 1078712-88-5)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-[2-[(.gamma.-.omega.-perfluoro-C4-20-alkyl)thio]acetyl] derivs., inner salts. (as Fluorine) (CAS No.: 1078715-61-3)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Polyfluoroalkyl betaine (PROVISIONAL). (as Fluorine) (CAS No.: CBI)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Modified fluoroalkyl urethane (PROVISIONAL). (as Fluorine) (CAS No.: CBI)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Perfluorinated polyamine (PROVISIONAL). (as Fluorine) (CAS No.: CBI)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 19 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Hexachlorobenzene (CAS No.: 118-74-1)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Polychlorinated phenols	With reference to US EPA 8041A: 2007, analysis was performed by GC/MS.	mg/kg	10	n.d.	-
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) (CAS No.: 25973-55-1)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
<b>PFAS</b>					
<b>PFHxA and its salts</b>					
Perfluorohexane acid and its salts (PFHxA and its salts) (CAS No.: 307-24-4 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
<b>PFHxA related compounds</b>					
1H,1H,2H,2H-Perfluoro-1-octanol (6:2 FTOH) (CAS No.: 647-42-7)	Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorooctyl acrylate (6:2 FTA) (CAS No.: 17527-29-6)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-perfluorooctyl methacrylate (6:2 FTMA) (CAS No.: 2144-53-8)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorooctanesulphonic acid and its salts (6:2 FTS and its salts) (CAS No.: 27619-97-2 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1,1,1,2,2,3,3,4,4,5,5,6,6-tridecafluoro-8-iodooctane (6:2 FTI) (CAS No.: 2043-57-4)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Perfluorohexyl iodide (PFHxI) (CAS No.: 355-43-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 20 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
N-(4,4,5,5,6,6,7,7,8,8,9,9,9-tridecafluorononyl)iodoacetamide (CAS No.: 852527-50-5)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorooctyl triethoxysilane (POTS) (CAS No.: 51851-37-7)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorooctyltrichlorosilane (6:2 FTSiCl <sub>3</sub> ) (CAS No.: 78560-45-9)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorooctyltrimethoxysilane (CAS No.: 85857-16-5)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Mono[2-(perfluorohexyl)ethyl] phosphate and its salts (6:2 monoPAP and its salts) (CAS No.: 57678-01-0 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
2-Iodo-1H,1H,1H,2H,3H,3H-perfluorononane (CAS No.: 38550-34-4)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
N-[3-(dimethylamino)propyl]-3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctanesulphonamide N-oxide (CAS No.: 80475-32-7)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
Thiocyanic acid, 3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl ester (CAS No.: 26650-09-9)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
2H,2H,3H,3H-Perfluorononanoic acid (6:3 FTCA) (CAS No.: 27854-30-4)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorooctanethiol (6:2 FTSH) (CAS No.: 34451-26-8)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
1H,1H,2H,2H-Perfluorooctyldimethylchlorosilane (6:2 FTSiMe <sub>2</sub> Cl) (CAS No.: 102488-47-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 21 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1-Iodo-1H,1H-Perfluoroheptane (6:1 FTI) (CAS No.: 212563-43-4)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
3-(Perfluorohexyl)propyl iodide (6:3 FTI) (CAS No.: 89889-20-3)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
1H,1H,2H,2H-Perfluorooctanephosphonic acid and its salts (6:2 FTPA and its salts) (CAS No.: 252237-40-4 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H-Perfluorohexan-1-ol (5:1 FTOH) (CAS No.: 423-46-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.2	n.d.	-
1H,1H-Perfluoro-1-heptanol (6:1 FTOH) (CAS No.: 375-82-6)	Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.2	n.d.	-
3-(Perfluorohexyl)propanol (6:3 FTOH) (CAS No.: 80806-68-4)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
3,3,4,4,5,5,6,6,7,7,7-Undecafluoro-2-heptanol (CAS No.: 914637-05-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.2	n.d.	-
1-(Perfluorohexyl)octane (F6H8) (CAS No.: 133331-77-8)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
1H,1H-Perfluoroheptylamine (6:1 FTNH2) (CAS No.: 423-49-4)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
Perfluorohexyl ethylene (PFHxE) (CAS No.: 25291-17-2)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
2H-Perfluoro-2-octenoic acid (6:2 FTUCA) (CAS No.: 70887-88-6)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
6:6 Perfluorophosphinic acid and its salts (6:6 PFPi and its salts) (CAS No.: 40143-77-9 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
6:8 Perfluorophosphinic acid (6:8 PFPi) (CAS No.: 610800-34-5)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
<b>PFHxS and its salts</b>					
Perfluorohexane sulfonate and its salts (PFHxS and its salts) (CAS No.: 355-46-4 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 22 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
<b>PFHxS related compounds</b>					
N-Methylperfluoro-1-hexanesulfonamide (N-Me-FHxSA) (CAS No.: 68259-15-4)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorohexane sulfonamide (PFHxSA) (CAS No.: 41997-13-1)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-[3-(dimethylamino)propyl]tridecafluoro hexanesulphonamide (N-AP-FHxSA) (CAS No.: 50598-28-2)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
2-[Methyl[(tridecafluorohexyl)sulphonyl]amino]ethyl acrylate (N-MeFHSEA) (CAS No.: 67584-57-0)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
2-Propenoic acid, 2-methyl-, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester (CAS No.: 67584-61-6)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester (CAS No.: 67906-70-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(2-hydroxyethyl)-N-methyl-(MeFHxSE) (CAS No.: 68555-75-9)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl] and its salts (EtFHxSAA and its salts) (CAS No.: 68957-32-4 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
<b>PFOS and its salts</b>					
Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 23 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
<b>PFOS related compounds</b>					
N-ethylperfluoro-1-octanesulfonamide (EtFOSA) (CAS No.: 4151-50-2)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-Methyl-Perfluorooctanesulfonamide (N-Me-FOSA) (CAS No.: 31506-32-8)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-Ethyl-Perfluorooctanesulfonamidoethanol (N-Et-FOSE alcohol) (CAS No.: 1691-99-2)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-Methyl-Perfluorooctanesulfonamidoethanol (N-Me-FOSE alcohol) (CAS No.: 24448-09-7)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorooctanesulfonamide and its salts (PFOSA and its salts) (CAS No.: 754-91-6 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorooctane sulfonamidoacetic acid and its salts (FOSAA and its salts) (CAS No.: 2806-24-8 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-methylperfluorooctane sulfonamidoacetic acid and its salts (N-MeFOSAA and its salts) (CAS No.: 2355-31-9 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-ethylperfluorooctane sulfonamidoacetic acid and its salts (N-EtFOSAA and its salts) (CAS No.: 2991-50-6 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
<b>PFOA and its salts</b>					
Perfluorooctanoic acid and its salts (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
<b>PFOA related compounds</b>					
6:8 Perfluorophosphinic acid (6:8 PFPi) (CAS No.: 610800-34-5)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 24 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Methyl perfluorooctanoate (Me-PFOA) (CAS No.: 376-27-2)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Ethyl perfluorooctanoate (Et-PFOA) (CAS No.: 3108-24-5)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Perfluoro-1-iodooctane (PFOI) (CAS No.: 507-63-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
3-Perfluoroheptyl propanoic acid (7:3 FTCA) (CAS No.: 812-70-4)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
2H-Perfluoro-2-decenoic acid (8:2 FTUCA) (CAS No.: 70887-84-2)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
8:8 Perfluorophosphinic acid and its salts (8:8 PFPi and its salts) (CAS No.: 40143-79-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Mono-[2-(perfluorooctyl)ethyl]phosphate and its salts (8:2 monoPAP and its salts) (CAS No.: 57678-03-2 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecanesulfonic acid and its salts (8:2 FTS and its salts) (CAS No.: 39108-34-4 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) (CAS No.: 678-39-7)	Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA) (CAS No.: 27905-45-9)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA) (CAS No.: 1996-88-9)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
2H,2H-Perfluorodecane acid and its salts (H2PFDA and its salts) (CAS No.: 27854-31-5 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluorodecyl iodide (8:2 FTI) (CAS No.: 2043-53-0)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 25 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1H,1H,2H,2H-Perfluorodecyltriethoxysilane (8:2 FTSi(OC <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> ) (CAS No.: 101947-16-4)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
2H,2H,3H,3H-Perfluoroundecanoic acid and its salts (4HPFUnA and its salts) (CAS No.: 34598-33-9 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H-Heptadecafluoro-1-decene (PFDE) (CAS No.: 21652-58-4)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate and its salts (8:2 diPAP and its salts) (CAS No.: 678-41-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluorodecyltrichlorosilane (CAS No.: 78560-44-8)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyltrimethoxysilane (CAS No.: 83048-65-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Heptadecafluorodecyl acetate (8:2 FTOAc) (CAS No.: 37858-04-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
<b>C9-C20 PFCAs its salts and related compounds</b>					
Mono-[2-(perfluorooctyl)ethyl]phosphate and its salts (8:2 monoPAP and its salts) (CAS No.: 57678-03-2 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecanesulfonic acid and its salts (8:2 FTS and its salts) (CAS No.: 39108-34-4 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 26 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) (CAS No.: 678-39-7)	Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA) (CAS No.: 27905-45-9)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA) (CAS No.: 1996-88-9)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
2H,2H-Perfluorodecane acid and its salts (H2PFDA and its salts) (CAS No.: 27854-31-5 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluorodecyl iodide (8:2 FTI) (CAS No.: 2043-53-0)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyltriethoxysilane (8:2 FTSi(OC <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> ) (CAS No.: 101947-16-4)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
2H,2H,3H,3H-Perfluoroundecanoic acid and its salts (4HPFUnA and its salts) (CAS No.: 34598-33-9 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H-Heptadecafluoro-1-decene (PFDE) (CAS No.: 21652-58-4)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate and its salts (8:2 diPAP and its salts) (CAS No.: 678-41-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluorodecyltrichlorosilane (CAS No.: 78560-44-8)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyltrimethoxysilane (CAS No.: 83048-65-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 27 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1H,1H,2H,2H-Heptadecafluorodecyl acetate (8:2 FTOAc) (CAS No.: 37858-04-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Perfluorononan-1-oic acid and its salts (PFNA and its salts) (CAS No.: 375-95-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoro-3,7-dimethyloctanoic acid (PF-3,7-DMOA) (CAS No.: 172155-07-6)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
((Perfluorooctyl)ethyl)phosphonic acid (CAS No.: 80220-63-9)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.02	n.d.	-
Perfluorodecane acid and its salts (PFDA and its salts) (CAS No.: 335-76-2 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoroundecanoic acid and its salts (PFUnDA and its salts) (CAS No.: 2058-94-8 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorododecanoic acid and its salts (PFDoDA and its salts) (CAS No.: 307-55-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Pentacosafuorotridecanoic acid and its salts (PFTrDA and its salts) (CAS No.: 72629-94-8 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorotetradecanoic acid and its salts (PFTDA and its salts) (CAS No.: 376-06-7 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorodecylphosphonic acid (PFDPA and its salts) (CAS No.: 52299-26-0 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorodecane sulfonate and its salts (PFDS and its salts) (CAS No.: 335-77-3 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluoro-1-dodecanol (10:2 FTOH) (CAS No.: 865-86-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 28 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1H,1H,2H,2H-Perfluorododecyl acrylate (10:2 FTA) (CAS No.: 17741-60-5)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorododecyl methacrylate (10:2 FTMA) (CAS No.: 2144-54-9)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorotetradecan-1-ol (12:2 FTOH) (CAS No.: 39239-77-5)	Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorododecane sulfonic acid and its salts (10:2 FTS and its salts) (CAS No.: 120226-60-0 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluorododecyl iodide (10:2 FTI) (CAS No.: 2043-54-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorotetradecyl iodide (12:2 FTI) (CAS No.: 30046-31-2)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Perfluorononane sulfonic acid and its salts (PFNS and its salts) (CAS No.: 68259-12-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoroundecane sulfonic acid and its salts (PFUnDS and its salts) (CAS No.: 749786-16-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorododecane sulfonic acid and its salts (PFDoDS and its salts) (CAS No.: 79780-39-5 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorotridecane sulfonic acid and its salts (PFTrDS and its salts) (CAS No.: 791563-89-8 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
10:2 Fluortelomerphosphatediester and its salts (10:2 diPAP and its salts) (CAS No.: 1895-26-7 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
Perfluorododecyl iodide (PFDoDI) (CAS No.: 307-60-8)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 29 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Perfluorodecyl iodide (PFDI) (CAS No.: 423-62-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
2H-Perfluoro-2-dodecenoic acid (10:2 FTUCA) (CAS No.: 70887-94-4)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
2-Perfluorodecyl ethanoic acid (10:2 FTCA) (CAS No.: 53826-13-4)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1-Dodecanol, 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-heneicosafuoro-, 1-acetate (10:2 FTOAc) (CAS No.: 37858-05-2)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
10:2 Fluortelomerphosphatemonoester (10:2 monoPAP and its salts) (CAS No.: 57678-05-4 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
Perfluoropentadecanoic acid and its salts (PFPeDA and its salts, C15) (CAS No.: 141074-63-7 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
Perfluorohexadecanoic acid and its salts (PFHxDA and its salts, C16) (CAS No.: 67905-19-5 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorooctadecanoic acid and its salts (PFODA and its salts, C18) (CAS No.: 16517-11-6 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
<b>Other PFAS</b>					
Trifluoroacetic acid and its salts (TFA and its salts) (CAS No.: 76-05-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	1	n.d.	-
Perfluorobutane acid and its salts (PFBA and its salts) (CAS No.: 375-22-4 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorobutane sulfonate and its salts (PFBS and its salts) (CAS No.: 375-73-5 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorobutane sulfon amides (CAS No.: 30334-69-1)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 30 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1,1,2,2,3,3,4,4,4-nonafluoro-N-(2-hydroxyethyl)-N-methylbutane-1-sulphonamide (PFBS-NC3H8O) (CAS No.: 34454-97-2)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluorohexyl methacrylate (4:2 FTMA) (CAS No.: 1799-84-4)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Perfluoropentane acid and its salts (PFPA and its salts) (CAS No.: 2706-90-3 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoroheptane acid and its salts (PFHpA and its salts) (CAS No.: 375-85-9 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
7H-Dodecanefluoroheptane acid and its salts (HPFHpA and its salts) (CAS No.: 1546-95-8 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoroheptane sulfonate and its salts (PFHpS and its salts) (CAS No.: 375-92-8 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoro-3-methoxypropanoic acid (PFMPA) (CAS No.: 377-73-1)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoro-4-methoxybutanoic acid (PFMBA) (CAS No.: 863090-89-5)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA) (CAS No.: 151772-58-6)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
4,8-Dioxa-3H-perfluorononanoic acid and its salts (ADONA and its salts) (CAS No.: 919005-14-4 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluoro-1-hexanol (4:2 FTOH) (CAS No.: 2043-47-2)	Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.4	n.d.	-
2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid and its salts (HFPO-DA and its salts) (CAS No.: 13252-13-6 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 31 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1H,1H,2H,2H-Perfluorohexanesulfonic acid and its salts (4:2 FTS and its salts) (CAS No.: 757124-72-4 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoropentane sulfonic acid and its salts (PFPeS and its salts) (CAS No.: 2706-91-4 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
3-Perfluoropropyl propanoic acid and its salts (3:3 FTCA and its salts) (CAS No.: 356-02-5 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
2-Perfluorohexyl ethanoic acid (6:2 FTCA) (CAS No.: 53826-12-3)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
3-Perfluoropentyl propanoic acid and its salts (5:3 FTCA and its salts) (CAS No.: 914637-49-3 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoro(2-ethoxyethane)sulfonic acid and its salts (PFEESA and its salts) (CAS No.: 113507-82-7 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid and its salts (9Cl-PF3ONS and its salts) (CAS No.: 756426-58-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid and its salts (11Cl-PF3OUdS and its salts) (CAS No.: 763051-92-9 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
2-(N-ethylperfluorooctanesulfamido)ethyl acrylate (EtFOSAC) (CAS No.: 423-82-5)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
11H-Perfluoroundecanoic acid and its salts (11H-PFUnDA and its salts) (CAS No.: 1765-48-6 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 32 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Pentafluoropropionate acid and its salts (PFPrA and its salts) (CAS No.: 422-64-0 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
Perfluoro-2,5-dimethyl-3,6-dioxanonanoic acid and its salts (HFPO-TA and its salts) (CAS No.: 13252-14-7 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.2	n.d.	-
Pentafluoroethane sulfonic acid and its salts (PFEtS and its salts) (CAS No.: 354-88-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Bis[2-(perfluorohexyl)ethyl] phosphate and its salts (6:2 diPAP and its salts) (CAS No.: 57677-95-9 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Trifluoromethanesulfonimide and its salts (TFSI and its salts) (CAS No.: 82113-65-3 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Trifluoromethane sulfonic acid and its salts (TFMS and its salts) (CAS No.: 1493-13-6 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoropropate sulfonic acid and its salts (PFPrS and its salts) (CAS No.: 423-41-6 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1-perfluoroheptyl ethanol (7:2 secondary) (7:2s FTOH) (CAS No.: 24015-83-6)	Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.2	n.d.	-
4:2 Fluorotelomer iodide (4:2 FTI) (CAS No.: 2043-55-2)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
Perfluoroheptane-1-sulfinic acid and its salts (PFHpSi and its salts) (CAS No.: 769067-51-8 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorooctylphosphonic acid and its salts (PFOPA and its salts) (CAS No.: 40143-78-0 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H-Perfluorooctylamine (CAS No.: 307-29-9)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 33 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Perfluoroheptanamide (CAS No.: 2358-22-7)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Perfluorobutyramide (CAS No.: 662-50-0)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
1H,1H,2H,2H-Nonafluorohexyl acrylate (4:2 FTA) (CAS No.: 52591-27-2)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
N-methylperfluoro-1-butanefluoramide (CAS No.: 68298-12-4)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-Ethyl-1,1,2,2,3,3,4,4,5,5,6,6-tridecafluoro-N-(2-hydroxyethyl)-1-hexanesulfonamide (CAS No.: 34455-03-3)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Ethyl perfluoroisobutyl ether and its isomers (CAS No.: 163702-05-4 and others)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	10	n.d.	-
1,1,1,2,2,3,4,5,5,5,-decafluoro-Pentane (CAS No.: 138495-42-8)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	10	n.d.	-
Trifluorotoluene (CAS No.: 98-08-8)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1-Chloro-4 (Trifluoromethyl)Benzene (CAS No.: 98-56-6)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1H,1H,2H,2H-Perfluorodecylmethylchlorosilane (CAS No.: 3102-79-2)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Bis(pentafluoroethylsulfonyl)imide and its salts (CAS No.: 152894-10-5 ; 132843-44-8 ; 129318-46-3 ; 152894-04-7 ; 221203-22-1 ; 216299-76-2 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.02	n.d.	-
Perfluoro-2-ethoxypropanoic acid (PEPA) (CAS No.: 267239-61-2)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorohexyl phosphonic acid and its salts (CAS No.: 40143-76-8 ; 1263361-02-9 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 34 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Bisphenol AF (HFBPA) (CAS No.: 1478-61-1)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
3-(Perfluorobutyl)propanoic acid (CAS No.: 80705-13-1)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoro-3,6,9-trioxaundecane-1,11-dioic acid (CAS No.: 55621-18-6)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.02	n.d.	-
Perfluorononanedioic acid (CAS No.: 23453-64-7)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.02	n.d.	-
Perfluorooctanedioic acid (CAS No.: 678-45-5)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.02	n.d.	-
Perfluorotripropylamine (CAS No.: 338-83-0)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	10	n.d.	-
<b>Mineral oil</b>					
Mineral Oil Saturated Hydrocarbons (MOSH) (C16-C35)	With reference to JRC GL 2023(JRC133174), analysis was performed by GC-FID/MS.	mg/kg	1	n.d.	-
Mineral Oil Aromatic Hydrocarbons (MOAH) (3-7 aromatic rings)		mg/kg	1	n.d.	-
Mineral Oil Aromatic Hydrocarbons (MOAH) (1-7 aromatic rings)		mg/kg	1	n.d.	-
Pentachlorophenol and its salts (CAS No.: 87-86-5 and its salts)	With reference to US EPA 8041A: 2007, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Diisooctyl phthalate (DIOP) (CAS No.: 27554-26-3)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Medium Chain Chlorinated Paraffins(C14-C17) (MCCP) (CAS No.: 85535-85-9)	With reference to ISO 18219-2: 2021, analysis was performed by GC/MS.	mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 35 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
<b>Polycyclic Aromatic Hydrocarbons (PAHs)</b>					
Benzo[a]pyrene (CAS No.: 50-32-8)	With reference to AfPS GS 2019:01 PAK, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
Benzo[e]pyrene (CAS No.: 192-97-2)		mg/kg	0.2	n.d.	-
Benzo[a]anthracene (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	-
Benzo[b]fluoranthene (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	-
Benzo[j]fluoranthene (CAS No.: 205-82-3)		mg/kg	0.2	n.d.	-
Benzo[k]fluoranthene (CAS No.: 207-08-9)		mg/kg	0.2	n.d.	-
Chrysene (CAS No.: 218-01-9)		mg/kg	0.2	n.d.	-
Dibenzo[a,h]anthracene (CAS No.: 53-70-3)		mg/kg	0.2	n.d.	-
Benzo[g,h,i]perylene (CAS No.: 191-24-2)		mg/kg	0.2	n.d.	-
Indeno[1,2,3-c,d]pyrene (CAS No.: 193-39-5)		mg/kg	0.2	n.d.	-
Anthracene (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	-
Fluoranthene (CAS No.: 206-44-0)		mg/kg	0.2	n.d.	-
Phenanthrene (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	-
Pyrene (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	-
Naphthalene (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	-
<b>Sum of 15 PAHs</b>	mg/kg	-	n.d.	-	
Acenaphthylene (CAS No.: 208-96-8)	With reference to AfPS GS 2019:01 PAK, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
Acenaphthene (CAS No.: 83-32-9)		mg/kg	0.2	n.d.	-
Fluorene (CAS No.: 86-73-7)		mg/kg	0.2	n.d.	-

**Note :**

1. mg/kg = ppm ; 0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit
3. n.d. = Not Detected ( Less than MDL)
4. "-" = Not Regulated
5. \*\*= Qualitative analysis (No Unit)
6. Negative = Undetectable ; Positive = Detectable
7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

8. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula :  $AX = A \times F$

AX	A	F
Diarsenic pentaoxide	Arsenic	1.5339
Diarsenic trioxide	Arsenic	1.3203
Beryllium oxide (BeO)	Beryllium	2.7753

Parameter Conversion Table : [https://eecloud.sgs.com/Region\\_TW/DocDownload.aspx?name=Others](https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others)

9. Negative\*/Positive\*: The test result of Geiger counter is from comparison between test outcome and environment background. In general, there is little radiation dose existing in environment. (Radiation dose from environment background usually less than or equal to 0.2μSv/hr)

The test result less than environment background was shown as Negative\*; the result greater than environment background was shown as Positive\*.

10. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.

11. Detail explanation of the regulation is available at the following link.

<https://www.ecfr.gov/current/title-40/chapter-I/subchapter-R/part-751?toc=1>

12. N/A(\*1) : The submitted sample is exempted from the regulated scope if it is anyone of the following :

- Hydraulic fluids for aviation or military
- Lubricants and grease
- New and replacement parts for motor and aerospace vehicles
- Manufacture of cyanoacrylate adhesives in closed systems
- Specialized engine air filters for locomotive and marine applications
- Plastic for recycling from PIP (3:1)-containing products or articles
- Finished products or articles made of plastic recycled from PIP (3:1)-containing products or articles
- Distribution in commerce of PIP (3:1)-containing articles before October 31, 2026
- Circuit boards and wire harnesses, including but not limited to terminal and fuse covers, cable sleeves, casings, connectors, and tapes
- Articles that contain PIP (3:1), and where PIP (3:1) has not been newly added, for the purpose of repair or maintenance
- New manufacturing equipment, including in the semiconductor industry, for new heating, ventilation, air-conditioning, refrigeration, and water-heating equipment, new power generating equipment, new laboratory equipment, new commercial electronic equipment

13. N/A(\*2) : The submitted sample is exempted from the regulated scope if it is not oil and lubricant additives.

14. N/A(\*3) : The submitted sample is exempted from the regulated scope if it is anyone of the following :

Exempts processing and distribution for recycling of DecaBDE-containing plastic from products or articles and DecaBDE-containing products or articles made from such recycled plastic.

15. N/A(\*4) : The limit only applies to chemical or mixture other than consumer paint and coating removal, not applies to article.

16. This is the additional test report of EKR26100173.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

**PAHs Remark :**

**Δ AfPS (German commission for Product Safety): GS PAHs requirements**

Parameter	Category 1	Category 2		Category 3	
	Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended long-term skin contact (> 30 seconds).	Materials that are not in Category 1, with intended or foreseeable long-term skin contact (> 30 seconds) or short-term repetitive contact with the skin.		Materials not covered by Category 1 or 2, with intended or foreseeable short-term skin contact (≤30 seconds).	
		a. Use by children under 14	b. Other consumer products	a. Use by children under 14	b. Other consumer products
Naphthalene	< 1	< 2		< 10	
Phenanthrene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Anthracene					
Fluoranthene					
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Sum of 15 PAH	< 1	< 5	< 10	< 20	< 50

Unit : mg/kg

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

### PFAS Remark :

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

Group Name	Substance Name	CAS No.
TFA, its salts	Trifluoroacetic acid (TFA)	76-05-1
	Sodium trifluoroacetate (TFA-Na)	2923-18-4
	Thallium(III) trifluoroacetate (TFA-Tl)	23586-53-0
	Lithium Trifluoroacetate (TFA-Li)	2923-17-3
	Silver trifluoroacetate (TFA-Ag)	2966-50-9
	Cesium Trifluoroacetate (TFA-Cs)	21907-50-6
	Potassium trifluoroacetate (TFA-K)	2923-16-2
	Ammoniumtrifluoroacetate (TFA-NH4)	3336-58-1
	Mercury(II) trifluoroacetate (TFA-Hg)	13257-51-7
	Palladium(II) trifluoroacetate (TFA-Pd)	42196-31-6
	Trifluoroacetate / Trifluoroacetic acid anion (TFA anion)	14477-72-6
	Dimethyl[(trifluoroacetyl)oxy]sulfanium trifluoroacetate	57738-66-6
	Aluminium tris(trifluoroacetate) (TFA-Al)	36554-89-9
	Barium bis(trifluoroacetate) (TFA-Ba)	60884-92-6
	Erbium tris(trifluoroacetate) (TFA-Er)	70236-99-6
	Indium trifluoroacetate (TFA-In)	36554-90-2
	Lanthanum tris(trifluoroacetate) (TFA-La)	70236-92-9
	Nickel(2+) trifluoroacetate (TFA-Ni)	16083-14-0
	Lead(II) trifluoroacetate (TFA-Pb)	4146-73-0
	Acetic acid, trifluoro-, rhodium(2+) salt (TFA-Rh)	72654-51-4
	Thulium tris(trifluoroacetate) (TFA-Tm)	70237-00-2
	Ytterbium(3+) tris(trifluoroacetate) (TFA-Yb)	87863-62-5
	Zinc bis(trifluoroacetate) (TFA-Zn)	21907-47-1
	Ruthenium(II) 2,2,2-trifluoroacetate (TFA-Ru)	61612-84-8
	Magnesium 2,2,2-trifluoroacetate (TFA-Mg)	123333-72-2
	Copper(2+) trifluoroacetate (TFA-Cu)	123333-88-0
	Methyltrioctylammonium trifluoroacetate	121107-16-2
	Chromium(3+) tris(trifluoroacetate) (TFA-Cr)	16712-29-1
	Tetraethylammonium trifluoroacetate (TFA-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> )	30093-29-9
	Tetrabutylammonium trifluoroacetate (TFA-N(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )	39481-22-6
Europium(3+) trifluoroacetate-water (1/3/3) (TFA-Eu.H <sub>2</sub> O)	94079-71-7	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
PFBA, its salts	Perfluorobutane acid (PFBA)	375-22-4
	Ammonium perfluorobutanoate (PFBA-NH <sub>4</sub> )	10495-86-0
	Sodium perfluorobutanoate (PFBA-Na)	2218-54-4
	Potassium heptafluorobutanoate (PFBA-K)	2966-54-3
	Silver perfluorobutanoate (PFBA-Ag)	3794-64-7
	Lithium perfluorobutanoate (PFBA-Li)	4146-76-3
	Heptafluorobutanoic acid-piperazine (1:1)	375-04-2
	Perfluorobutanoate (anion)	45048-62-2
	4-Chlorobenzediazonium perfluorobutanoate perfluorobutanoic acid (1:1:1) (PFBA-C6H4ClF6N2P)	-
	Heptafluorobutanoic acid-1-phenylpiperazine (1:1) (PFBA-C10H14N2)	2263-11-8
	Perfluorobutanoic anhydride (PFBAA)	336-59-4
	Heptafluorobutanoic acid calcium salt (PFBA-Ca)	2366-98-5
	Rhodium(II) perfluorobutyrate dimer (PFBA-Rh)	73755-28-9
	Perfluorobutyryl chloride (PFBA-Cl)	375-16-6
	Perfluorobutanoyl fluoride (PFBA-F)	335-42-2
	Heptafluorobutanoyl Bromide (PFBA-Br)	375-13-3
	4-Chlorobenzediazonium perfluorobutanoate perfluorobutanoic acid (1:1:1)	-
	N5-(5-Hydroxy-4,6-dimethylpyrimidin-2-yl)-L-ornithine-heptafluorobutanoic acid (1/2)	936233-19-1
PFBS, its salts & derivatives	Perfluorobutane sulfonate (PFBS)	375-73-5
	1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, sodium salt (1:1) (PFBS-Na)	60453-92-1
	Lithium perfluorobutanesulfonate (PFBS-Li)	131651-65-5
	Magnesium perfluorobutanesulfonate (PFBS-Mg)	507453-86-3
	Perfluorobutane Sulfonate K-salt (PFBS-K)	29420-49-3
	Perfluorobutane sulfonyl fluoride (PFBS-F)	375-72-4
	Tetraethylammonium perfluorobutanesulfonate (PFBS-N(CH <sub>3</sub> CH <sub>2</sub> ) <sub>4</sub> )	25628-08-4
	Triphenylsulfanium perfluorobutane sulfonate (TPS-PFBS)	144317-44-2
	Dimethyl(phenyl)sulfanium perfluorobutane sulfonate	220133-51-7
	Tetrabutyl-phosphonium nonafluoro-butane-1-sulfonate	220689-12-3
	Morpholinium perfluorobutanesulfonate	503155-89-3
	Ammonium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate (PFBS-NH <sub>4</sub> )	68259-10-9

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Group Name	Substance Name	CAS No.
PFBS, its salts & derivatives	Nonafluorobutanesulfonic acidHydrate	59933-66-3
	Nonafluoro-1-butanesulfonyl chloride (PFBS-Cl)	2991-84-6
	Bis(4-tert-butylphenyl)iodonium perfluoro-1-butanesulfonate (PFBS-I(C <sub>6</sub> H <sub>4</sub> ) <sub>2</sub> (C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> )	194999-85-4
	1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonic acid, compound with 2,2'-iminodiethanol (1:1) (PFBS-NH(C <sub>2</sub> H <sub>5</sub> O) <sub>2</sub> )	70225-18-2
	1-(4-butoxy-1-naphthyl)tetrahydrothiophenium nonafluorobutane-1-sulfonate (PFBS-SC <sub>18</sub> H <sub>23</sub> O)	209482-18-8
	Tetrabutylammonium nonafluorobutanesulfonate ((PFBS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> ))	108427-52-7
	Diphenyliodonium nonafluorobutane-1-sulfonate((PFBS-I(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> ))	194999-82-1
	Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	241806-75-7
	Sulfonium, (4-cyclohexylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	425670-64-0
	Thiophenium, tetrahydro-1-(1-methyl-1H-indol-3-yl)-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	867373-18-0
	Pyridinium, 1-ethyl-3-methyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	1015420-87-7
	1H-Imidazolium, 1-methyl-3-octyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	905972-83-0
	1H-Imidazolium, 3-hexyl-1-methyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	1001557-05-6
	2-Propanaminium, N,N-dimethyl-N-(1-methylethyl)-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	374571-81-0
	Sulfonium, [4-[2-(1,1-dimethylethoxy)-2-oxoethoxy]phenyl]diphenyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	857285-80-4
	1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	124472-66-8
	1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, zinc salt (2:1) (PFBS-Zn)	502457-69-4
	1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	56773-55-8
Perfluorobutanesulfonic acid tetramethylammonium salt (PFBS-N(CH <sub>3</sub> ) <sub>4</sub> )	25628-17-5	
1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, 1,1'-anhydride	36913-91-4	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 41 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
PFBS, its salts & derivatives	Perfluorobutane sulfonate (anion)	45187-15-3
	1-(4-butoxy-1-naphthalenyl)tetrahydrothiophenium - 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate	EC No. 468-770-4
	1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, compd. with N,N-diethylethanamine (1:1)	182059-38-7
	1-Octanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	334529-55-4
	Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	334529-62-3
	Pyridinium, 1-butyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	334529-64-5
	1-Octanaminium, N-methyl-N,N-dioctyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	495417-51-1
	Sulfonium, tris(4-methylphenyl)-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	722538-68-3
	N-Ethyl-N-methyl-N-propylammonium perfluorobutanesulfonate	1186599-90-5
	[4-(2-Methylpropyl)phenyl]-diphenylsulfanium;1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulfonate	1375211-36-1
	Diphenyl 4-tertbutylphenylsulfonium nonafluorobutanesulfonate	258872-05-8
	Diphenyl(4-methylphenyl)sulfonium nonafluorobutanesulfonate	284474-28-8
	Trimethylsilyl nonafluorobutanesulfonate	68734-62-3
PFPA, its salts	Perfluoropentane acid (PFPA)	2706-90-3
	Sodium perfluoropentanoate (PFPA-Na)	2706-89-0
	Potassium perfluoropentanoate (PFPA-K)	336-23-2
	Ammonium perfluoropentanoate (PFPA-NH <sub>4</sub> )	68259-11-0
	Lithium perfluoropentanoate (PFPA-Li)	198482-22-3
	Silver perfluoropentanoate (PFPA-Ag)	2795-30-4
	Perfluoropentanoate (anion)	45167-47-3
	Pentanoic acid, 2,2,3,3,4,4,5,5,5-nonafluoro-, compd. with phenylmethyl carbamimidothioate (1:1) (PFPeA-C <sub>8</sub> H <sub>10</sub> N <sub>2</sub> S)	64808-55-5
	Nonafluoropentanoic anhydrid (PFPeAA)	308-28-1
	Perfluoropentanoyl chloride (PFPeA-Cl)	375-60-0
	Perfluoropentanoyl fluoride (PFPeA-F)	375-62-2

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Group Name	Substance Name	CAS No.
PFHxA, its salts & derivatives	Perfluorohexane acid (PFHxA)	307-24-4
	Ammonium perfluorohexanoate (PFHxA-NH <sub>4</sub> )	21615-47-4
	Sodium perfluorohexanoate (PFHxA-Na)	2923-26-4
	Potassium perfluorohexanoate (PFHxA-K)	3109-94-2
	Perfluorohexanoyl fluoride (PFHxA-F)	355-38-4
	Silver perfluorohexanoate (PFHxA-Ag)	336-02-7
	Lithium perfluorohexanoate (PFHxA-Li)	90430-61-8
	Perfluorohexanoic anhydride	308-13-4
	Hexanoic acid, undecafluoro-, compd. with piperazine (2:1) (8CI,9CI)	423-47-2
	Perfluorohexanoate (anion)	92612-52-7
	Perfluorohexanoyl chloride (PFHxA-Cl)	335-53-5
	Perfluorohexanoyl bromide (PFHxA-Br)	1404193-66-3
	Hexanoic acid, 2,2,3,3,4,4,5,5,6,6,6-undecafluoro-, compd. with 1-hexanamine (1:1) (PFHxA-C <sub>6</sub> H <sub>15</sub> N)	565225-91-4
	Hexanoic acid, 2,2,3,3,4,4,5,5,6,6,6-undecafluoro-, compd. with 1-phenylpiperazine (1:1) (PFHxA-C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> )	985-60-4
6:2 FTS, its salts	1H,1H,2H,2H-Perfluorooctanesulphonic acid (6:2 FTS)	27619-97-2
	Sodium 1H,1H,2H,2H-Perfluorooctanesulfonate (6:2 FTS-Na)	27619-94-9
	Potassium 1H,1H,2H,2H-Perfluorooctanesulfonate (6:2 FTS-K)	59587-38-1
	Ammonium 1H,1H,2H,2H-Perfluorooctanesulfonate (6:2 FTS-NH <sub>4</sub> )	59587-39-2
	1-Octanesulfonic acid, 3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluoro-, barium salt (2:1) (6:2 FTS-Ba)	1807944-82-6
	3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctane-1-sulfonate (6:2 FTS(anion))	425670-75-3
	2-(Perfluorohexyl)ethanesulfonyl chloride (6:2 FTS-Cl)	27619-89-2
	2-(Perfluorohexyl)ethanesulfonyl fluoride (6:2 FTS-F)	-
6:2 monoPAP, its salts	Mono[2-(perfluorohexyl)ethyl] Phosphate (6:2 monoPAP)	57678-01-0
	Diammonium 6:2 fluorotelomer phosphate monoester (6:2 monoPAP-NH <sub>4</sub> NH <sub>4</sub> )	1000852-37-8
6:2 FTPA, its salts	1H,1H,2H,2H-Perfluorooctane phosphonic acid (6:2 FTPA)	252237-40-4
	Sodium hydrogen ((perfluorohexyl)ethyl)phosphonate (Cheminox FHP 2OH-Na(PFHEPA-Na))	1189052-95-6

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 43 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
PFHxS, its salts & derivatives	Perfluorohexane sulfonate (PFHxS)	355-46-4
	Perfluorohexanesulfonate Na-salt (PFHxS-Na)	82382-12-5
	Perfluorohexanesulfonate K-salt (PFHxS-K)	3871-99-6
	Ammonium perfluorohexanesulfonate (PFHxS-NH <sub>4</sub> )	68259-08-5
	Perfluorohexanesulfonate Li-salt (PFHxS-Li)	55120-77-9
	Perfluorohexanesulfonate Zn-salt (PFHxS-Zn)	70136-72-0
	Perfluorohexane sulphonyl fluoride (PFHxS-F)	423-50-7
	Phosphonium, triphenyl(phenylmethyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1000597-52-3
	N,N,N-tributylbutan-1-aminium tridecafluorohexane-1-sulfonate	108427-54-9
	N,N,N-triethylethanaminium tridecafluorohexane-1-sulfonate (1:1)	108427-55-0
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. With pyrrolidine (1:1)	1187817-57-7
	Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1310480-24-0
	Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1310480-27-3
	Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(phenylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1310480-28-4
	Beta-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-) (1:1)	1329995-45-0
Gamma-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-) (1:1)	1329995-69-8	
Sulfonium, triphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	144116-10-9	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 44 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
PFHxS, its salts & derivatives	Quinolinium, 1-(carboxymethyl)-4-[2-[4-[4-(2,2-diphenylethenyl)phenyl]-1,2,3,3a,4,8b-hexahydrocyclopent[b]indol-7-yl]ethenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1462414-59-0
	Iodonium, diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	153443-35-7
	Methanaminium, N,N,N-trimethyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1)	189274-31-5
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd.with 2-methyl-2-propanamine (1:1)	202189-84-2
	Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	213740-81-9
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, gallium salt (9CI)	341035-71-0
	Sulfonium, bis(4-methylphenyl)phenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	341548-85-4
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, scandium(3+) salt (3:1) (PFHxS-Sc)	350836-93-0
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, neodymium(3+) salt (3:1) (PFHxS-Nd)	41184-65-0
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, yttrium(3+) salt (3:1) (PFHxS-Y)	41242-12-0
	Sulfonium, (thiodi-4,1-phenylene)bis[diphenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:2)	421555-73-9
	Iodonium, bis[4-(1,1-dimethylpropyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid	421555-74-0
	Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	425670-70-8
	Tridecafluorohexanesulphonic acid, compound with 2,2'-iminodiethanol (1:1)	70225-16-0
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. with N,N-diethylethanamine (1:1)	72033-41-1
	Iodonium, bis[(1,1-dimethylethyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1) (9CI)	866621-50-3
	Sulfonium, (4-methylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	910606-39-2
	Sulfonium, [4-[(2-methyl-1-oxo-2-propen-1-yl)oxy]phenyl]diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	911027-68-4
1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, cesium salt (1:1) (PFHxS-CsH)	92011-17-1	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Group Name	Substance Name	CAS No.
PFHxS, its salts & derivatives	Dibenzo[k,n][1,4,7,10,13]tetraoxathiacyclopentadecinium, 19-[4-(1,1-dimethylethyl)phenyl]-6,7,9,10,12,13-hexahydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	928049-42-7
	Perfluorohexylsulfonyl chloride (PFHxS-Cl)	55591-23-6
	Sulfonium, [4-[(2-methyl-1-oxo-2-propenyl)oxy]phenyl]diphenyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1), polymer with 2-ethyltricyclo[3.3.1.1 <sup>3,7</sup> ]dec-2-yl 2-methyl-2-propenoate, 3-hydroxytricyclo[3.3.1.1 <sup>3,7</sup> ]dec-1-yl 2-methyl-2-propenoate and tetrahydro-2-oxo-3-furanyl 2-methyl-2-propenoate	911027-69-5
	Perfluorohexane sulfonate (anion)	108427-53-8
	Tetrabutylphosphonium tridecafluorohexane-1-sulfonate (PFHxS-P (C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )	2310194-12-6
EtFHxSAA, its salts	Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl] (EtFHxSAA)	68957-32-4
	Potassium N-ethyl-n-[(tridecafluorohexyl)sulfonyl]glycinate (EtFHxSAA-K)	67584-53-6
	Sodium N-ethyl-N-((tridecafluorohexyl)sulphonyl)glycinate (EtFHxSAA-Na)	68555-70-4
PFHpA, its salts	Perfluoroheptane acid (PFHpA)	375-85-9
	Sodium perfluoroheptanoate (PFHpA-Na)	20109-59-5
	Potassium perfluoroheptanoate (PFHpA-K)	21049-36-5
	Ammonium perfluoroheptanoate (PFHpA-NH <sub>4</sub> )	6130-43-4
	Cesium perfluoroheptanoate (PFHpA-Cs)	171198-24-6
	Silver perfluoroheptanoate (PFHpA-Ag)	424-05-5
	Lithium perfluoroheptanoate (PFHpA-Li)	60871-90-1
	Perfluoroheptanoate (anion)	120885-29-2
	Perfluoroheptanoic anhydride (PFHpAA)	78225-99-7
	Perfluoroheptanoyl chloride (PFHpA-Cl)	52447-22-0
Perfluoroheptanoyl fluoride (PFHpA-F)	375-84-8	
HPFHpA, its salts	7H-Dodecafluoroheptane acid (HPFHpA)	1546-95-8
	Sodium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate (HPFHpA-Na)	2264-25-7
	Ammonium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate (HPFHpA-NH <sub>4</sub> )	376-34-1
	7H-Perfluoroheptanoate (HPFHpA(anion))	69681-35-2
	Potassium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate (HPFHpA-K)	-
	Lithium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate (HPFHpA-Li)	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 46 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
HPFHpA, its salts	7H-Perfluoroheptanoyl chloride (HPFHpA-Cl)	41405-35-0
	7H-Perfluoroheptanoyl fluoride (HPFHpA-F)	5927-65-1
	Perfluoroheptanoyl Bromide (PFHpA-Br)	159623-34-4
PFHpS, its salts	Perfluoroheptane sulfonate (PFHpS)	375-92-8
	Perfluoroheptanesulfonate Na-salt (PFHpS-Na)	21934-50-9
	Potassium perfluoroheptanesulfonate (PFHpS-K)	60270-55-5
	Ammonium perfluoroheptanesulfonate (PFHpS-NH <sub>4</sub> )	68259-07-4
	Lithium perfluoroheptanesulfonate (PFHpS-Li)	117806-54-9
	1-Heptanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoro-, compd. with 2,2'-iminobis[ethanol] (1:1)	70225-15-9
	Perfluoroheptane sulfonate (anion)	146689-46-5
	Triethylammonium perfluoroheptane sulfonate	72033-40-0
	Tetraethylammonium perfluoroheptane sulfonate	439863-97-5
	1-Heptanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoro-, anhydride (9Cl) (PFHpSA)	140429-92-1
	Perfluoroheptanesulfonyl fluoride (PFHpS-F)	335-71-7
	Perfluoroheptanesulfonyl chloride (PFHpS-Cl)	33018-82-5
PFOS, its salts & derivatives	Perfluorooctane sulfonates (PFOS)	1763-23-1
	Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH <sub>4</sub> )	29081-56-9
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(C <sub>2</sub> H <sub>4</sub> OH) <sub>2</sub> )	70225-14-8
	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> )	56773-42-3
	N-decyl-N,N-dimethyldecyl-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8
	TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )	111873-33-7
	Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
	Perfluorooctanesulfonate (anion)	45298-90-6
	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-NH(C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> )	54439-46-2

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Group Name	Substance Name	CAS No.
PFOS, its salts & derivatives	Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(CH <sub>3</sub> ) <sub>4</sub> )	56773-44-5
	1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C <sub>3</sub> H <sub>7</sub> ) <sub>3</sub> (C <sub>5</sub> H <sub>11</sub> ))	56773-56-9
	1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> (CH <sub>3</sub> ))	124472-68-0
	Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	213740-80-8
	Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	258341-99-0
	Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4
	1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	773895-92-4
	Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )	2185049-59-4
	Perfluorooctanesulfonic acid diethylamine salt (PFOS-C <sub>4</sub> H <sub>11</sub> N)	2205029-08-7
	Heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl}azanium perfluorooctanesulfonate (PFOS-C <sub>15</sub> H <sub>30</sub> NO <sub>2</sub> )	1203998-97-3
	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
Perfluoro-1-octanesulfonyl chloride (PFOS-Cl)	423-60-9	
PFOSA, its salts	Perfluorooctanesulfonamide (PFOSA)	754-91-6
	Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
	Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)	76752-78-8
	Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)	76752-70-0
	Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH <sub>4</sub> )	76752-72-2
	heptadecafluorooctane-1-sulphonamide, compound with triethylamine(1:1) (PFOSA-C <sub>6</sub> H <sub>15</sub> N)	76752-82-4
PFOA, its salts & derivatives	Perfluorooctanoic acid (PFOA)	335-67-1
	Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	Silver perfluorooctanoate (PFOA-Ag)	335-93-3

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Group Name	Substance Name	CAS No.
PFOA, its salts & derivatives	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3 <sup>+</sup> ))	68141-02-6
	Pentadecafluorooctanoic acid--piperazine (2/1)PFOA-NH(C <sub>4</sub> H <sub>10</sub> N)	423-52-9
	Pentadecafluorooctanoate (anion)	45285-51-6
	Perfluorooctanoic Anhydride	33496-48-9
	Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	98241-25-9
	Tetramethylammoniumperfluorooctanoat	32609-65-7
	1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H <sub>2</sub> O) <sub>2</sub> )	98065-31-7
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C <sub>2</sub> H <sub>7</sub> N)	1376936-03-6
	Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA-C <sub>5</sub> H <sub>5</sub> N)	95658-47-2
	Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> )	1514-68-7
	1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- C <sub>11</sub> H <sub>26</sub> N)	927835-01-6
	Pentadecafluorooctanoyl chloride (PFOA-Cl)	335-64-8
Perfluorooctanoyl Bromide (PFOA-Br)	222037-87-8	
8:2 monoPAP, its salts	Mono-[2-(perfluorooctyl)ethyl]phosphate (8:2 monoPAP)	57678-03-2
	8:2 Fluorotelomer diammonium phosphate	93857-44-4
	Disodium 1H,1H,2H,2H-perfluorodecylphosphate	438237-75-3
	Ammonium bis[2-(perfluorohexyl)ethyl] phosphate	1764-95-0
	3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctanol phosphate ammonium salt	92401-44-0
	Sodium 1H,1H,2H,2H-perfluorooctylphosphate	144965-22-0
	Monopotassium monoperfluorohexyl ethylphosphate	150033-28-6
	Ammonium 2-(perfluorohexyl)ethyl hydrogen phosphate	2353-52-8
8:2 FTS, its salts	1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4
	1H,1H,2H,2H-Perfluorodencane sulfonate acid Potassium salt (8:2 FTS-K)	438237-73-1
	1H,1H,2H,2H-Perfluorodencane sulfonate acid Ammonium salt (8:2 FTS-NH <sub>4</sub> )	149724-40-3

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 49 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
8:2 FTS, its salts	1H,1H,2H,2H-Perfluorododecane sulfonate acid Sodium salt (8:2 FTS-Na)	27619-96-1
	8: 2 Fluorotelomer sulfonate (anion) (8:2 FTS(anion))	481071-78-7
	2-(Perfluorooctyl)ethanesulfonyl chloride (8:2 FTS-Cl)	27619-90-5
H2PFDA, its salts	2H,2H-Perfluorodecane acid (H2PFDA)	27854-31-5
	Tetrabutylphosphonium 2H,2H-Perfluorodecanoate	882489-14-7
4HPFUnA, its salts	2H,2H,3H,3H-Perfluoroundecanoic Acid (4HPFUnA)	34598-33-9
	Potassium 2H,2H,3H,3H-Perfluoroundecanoate (H4PFUnA-K)	83310-58-1
	Lithium 3-(perfluorooctyl)propanoate (H4PFUnA-Li)	67304-23-8
8:2diPAP, its salts	Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate (8:2diPAP)	678-41-1
	Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate (8:2diPAP-Na)	114519-85-6
	Bis(2-hydroxyethyl)ammonium bis((perfluorooctyl)ethyl) hydrogen phosphate	57677-97-1
	Bis[2-(perfluorooctyl)ethyl] phosphate ammonium salt (8:2diPAP-NH <sub>4</sub> )	93776-20-6
	8:2 Fluorotelomer phosphate diester ion	1411713-91-1
PFNA, its salts	Perfluorononan-1-oic acid (PFNA)	375-95-1
	Perfluorononanoate Na-salt (PFNA-Na)	21049-39-8
	Perfluorononanoate ammonium salt (APFN)	4149-60-4
	Potassium perfluorononanoate (PFNA-K)	21049-38-7
	Perfluorononanoate Li-Salt (PFNA-Li)	60871-92-3
	Silver perfluorononanoate (PFNA-Ag)	7358-16-9
	Methanaminium perfluorononanoate (PFNA-NH <sub>3</sub> (CH <sub>3</sub> ))	77032-23-6
	Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptafluoro-, compd. with N-ethylethanamine (1:1) PFNA-NH <sub>2</sub> (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>	77032-27-0
	Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptafluoro-, compd. with N-methylmethanamine (1:1) (PFNA-NH <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> )	77032-24-7
	Nonanoic acid, heptafluoro-, compd. with N,N-diethylethanamine (1:1) (9Cl) (PFNA-NH(C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> )	327176-80-7
	Nonanoic acid, heptafluoro-, compd. with piperidine (1:1) (9Cl) (PFNA-NH <sub>2</sub> (C <sub>5</sub> H <sub>10</sub> ))	95682-66-9
	Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptafluoro-, compd. with benzenamine (1:1) (PFNA-NH <sub>3</sub> (C <sub>6</sub> H <sub>5</sub> ))	95682-67-0
	Nonanoic acid, heptafluoro-, compd. with cyclohexanamine (1:1) (9Cl) (PFNA-NH <sub>3</sub> (C <sub>6</sub> H <sub>11</sub> ))	328531-06-2
	Perfluorononanoate (anion)	72007-68-2
	4-[(6-Methoxy-3-pyridazinyl)sulfamoyl]anilinium heptafluorononanoate (PFNA-C <sub>11</sub> H <sub>12</sub> N <sub>4</sub> O <sub>3</sub> S)	298703-33-0
Perfluorononanoic anhydride (PFNAA)	228407-54-3	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 50 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
PFNA, its salts	Perfluorononanoyl chloride (PFNA-Cl)	52447-23-1
	Perfluorononanoyl fluoride (PFNA-F)	558-95-2
	Heptadecafluorononanoyl Bromide (PFNA-Br)	261503-42-8
PFDA, its salts	Perfluorodecane acid (PFDA)	335-76-2
	Perfluorodecanoate Na-salt (PFDA-Na)	3830-45-3
	Perfluorodecanoate ammonium salt (APFDA)	3108-42-7
	Potassium perfluorodecanoate (PFDA-K*)	51604-85-4
	Silver perfluorodecanoate (PFDA-Ag)	5784-82-7
	Lithium perfluorodecanoate (PFDA-Li)	84743-32-8
	Perfluorodecanoate (anion)	73829-36-4
	Perfluorodecanoic anhydride (PFDA-A)	942199-24-8
	Nonadecafluorodecanoyl chloride (PFDA-Cl)	307-38-0
	Nonadecafluorodecanoyl Fluoride (PFDA-F)	-
PFDDPA, its salts	Perfluorodecylphosphonic acid (PFDDPA)	52299-26-0
	Perfluorodecylphosphonic Acid 4-Methylbenzamine	-
	Perfluorodecylphosphonic Acid Di-4-toluidine Salt	-
PFUnDA, its salts	Perfluoroundecanoic acid (PFUnDA)	2058-94-8
	Ammonium perfluoroundecanoate (PFUnDA-NH <sub>4</sub> )	4234-23-5
	Perfluoroundecanoic acid sodium salt (PFUnDA-Na)	60871-96-7
	Potassium perfluoroundecanoate (PFUnDA-K)	30377-53-8
	Calcium perfluoroundecanoate (PFUnDA-Ca)	97163-17-2
	Perfluoroundecanoate (anion)	196859-54-8
PFDoDA, its salts	Perfluorododecanoic acid (PFDoDA)	307-55-1
	Ammonium perfluorododecanoate (APFDoDA)	3793-74-6
	Perfluorododecanoate (anion)	171978-95-3
PFDS, its salts	Perfluorodecane sulfonate (PFDS)	335-77-3
	Perfluorodecanesulfonate Na-salt (PFDS-Na)	2806-15-7
	Perfluorodecanesulfonate K-salt (PFDS-K)	2806-16-8
	Perfluoroaliphatic dean-sulfonate salt of NH <sub>4</sub> (PFDS-NH <sub>4</sub> )	67906-42-7
	Perfluorodecane sulfonate (anion)	126105-34-8
	Perfluorodecane sulfonic anhydride (PFDSA)	51667-62-0
	Perfluorodecanesulphonyl fluoride (PFDS-F)	307-51-7
	Perfluorodecanesulphonyl chloride (PFDS-Cl)	32779-61-6
PFTrDA, its salts	Pentacosafuorotridecanoic acid (PFTrDA)	72629-94-8
	Ammonium perfluorotridecanoate (PFTrDA-NH <sub>4</sub> )	4288-72-6
	Sodium perfluorotridecanoate (PFTrDA-Na)	60872-01-7
	Perfluorotridecanoate (anion)	862374-87-6

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
PFTDA, its salts	Perfluorotetradecanoic acid (PFTDA)	376-06-7
	Perfluorotetradecanoate (anion)	365971-87-5
10:2 FTS, its salts	1H,1H,2H,2H-Perfluorododecane sulfonic acid (10:2 FTS)	120226-60-0
	1H,1H,2H,2H-Perfluorododecane sulfonic acid Sodium Salt (10:2 FTS-Na)	108026-35-3
	2-(Perfluorodecyl)ethane-1-sulfonyl chloride (10:2 FTS-Cl)	27619-91-6
PFNS, its salts	Perfluorononane sulfonic acid (PFNS)	68259-12-1
	Sodium perfluoro-1-nonanesulfonate (PFNS-Na*)	98789-57-2
	Ammonium nonadecafluorononanesulphonate (PFNS-NH <sub>4</sub> )	17202-41-4
	Potassium perfluorononanesulfonate (PFNS-K*)	29359-39-5
	Perfluorononane sulfonate (anion)	474511-07-4
	Perfluorononanesulfonyl fluoride (PFNS-F)	68259-06-3
PFUnDS, its salts	Perfluoroundecane sulfonic acid (PFUnDS)	749786-16-1
	Perfluoroundecanesulfonate (anion)	441296-91-9
PFDoDS, its salts	Perfluorododecane sulfonic acid (PFDoDS)	79780-39-5
	Sodium perfluoro-1-dodecanesulfonate (PFDoDS-Na*)	1260224-54-1
	Potassium perfluorododecanesulfonate (PFDoDS-K)	85187-17-3
	Perfluorododecane sulfonate (anion)	343629-43-6
PFTrDS, its salts	Perfluorotridecane sulfonic acid (PFTrDS)	791563-89-8
	Sodium perfluoro-1-tridecanesulfonate (PFTrDS-Na*)	174675-49-1
10:2 diPAP, its salts	10:2 Fluortelomerphosphatediester (10:2 diPAP)	1895-26-7
	bis[3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-henicosafuorododecyl] hydrogen phosphate, compound with 2,2'-iminodiethanol (1:1) (10:2 diPAP-C <sub>4</sub> H <sub>11</sub> O <sub>2</sub> )	57677-98-2
10:2 monoPAP, its salts	10:2 Fluortelomerphosphatemonoester(10:2 monoPAP)	57678-05-4
	10:2 Fluortelomer diammonium dihydrogen phosphate	93857-45-5
	3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-Henicosafuorododecyl dihydrogen phosphate cyclohexylamine	2514858-66-1
PFPeDA, its salts	Perfluoropentadecanoic acid (PFPeDA, C15)	141074-63-7
	Nonacosafuoropentadecanoate (PFPeDA (anion))	1214264-29-5
PFHxDA, its salts	Perfluorohexadecanoic acid (PFHxDA, C16)	67905-19-5
	Hentriacontafuorohexadecanoate anion (PFHxDA (anion))	1214264-30-8
PFODA, its salts	Perfluorooctadecanoic acid (PFODA, C18)	16517-11-6
	Perfluorooctadecanoate anion (PFODA (anion))	798556-82-8
PFMPA, its salts	Perfluoro-3-methoxypropanoic acid (PFMPA)	377-73-1
	Perfluoro-3-methoxypropanoic anhydride (PFMPAA)	42566-65-4
ADONA, its salts	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4
	Ammonium 4,8-dioxa-3H-perfluorononanoate (ADONA-NH <sub>4</sub> )	958445-44-8

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 52 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
ADONA, its salts	Sodium 4,8-dioxa-3H-perfluorononanoate (ADONA-Na)	2250081-67-3
	Potassium 2,2,3-trifluoro-3-[1,1,2,2,3,3-hexafluoro-3-(trifluoromethoxy)propoxy]propanoate (ADONA-K)	1087271-46-2
	2,2,3-Trifluoro-3-[1,1,2,2,3,3-hexafluoro-3-(trifluoromethoxy)propoxy]propanoate (ADONA (anion))	2127366-90-7
HFPO-DA, its salts & derivatives	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid (HFPO-DA)	13252-13-6
	Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-(2R)-	75579-39-4
	Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-(2S)-	75579-40-7
	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, K-salts	67118-55-2
	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, ammonium salts	62037-80-3
	Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-, sodium salt (1:1)	67963-75-1
	Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-, ion(1-)	122499-17-6
	Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-, compd. with N-propyl-1-propanamine (1:1)	165951-17-7
	Propanoic acid, 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)-, compd. with N,N-diethylethanamine (1:1) (9CI)	165951-18-8
	4-[(6-Methoxy-3-pyridazinyl)sulfamoyl]anilinium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propanoate	298703-31-8
	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, its acyl halides	2062-98-8
	Benzoic acid, 2,3,6-triiodo-, (1-methyl-3-piperidinyl)methyl ester, compd. with 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoro propoxy)propanoate (1:1) (HFPO-C <sub>14</sub> H <sub>16</sub> I <sub>3</sub> NO <sub>2</sub> )	2412106-69-3
	4:2 FTS, its salts	1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2 FTS)
1H,1H,2H,2H-perfluorohexane sulfonate acid sodium salt		27619-93-8
4:2 Fluorotelomer sulfonate (4:2FTS(anion))		414911-30-1
FOSAA, its salts	Perfluorooctane sulfonamidoacetic acid (FOSAA)	2806-24-8
	N-[(Perfluorooctyl)sulfonyl]glycinate (FOSAA(anion))	909405-47-6
	N-[(Perfluorooctyl)sulfonyl]glycine potassium salt (1:1) (FOSAA-K)	75260-69-4
	N-[(Perfluorooctyl)sulfonyl]glycine sodium salt (1:1) (FOSAA-Na)	115716-87-5

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 53 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
N-MeFOSAA, its salts	N-methylperfluorooctane sulfonamidoacetic acid (N-MeFOSAA)	2355-31-9
	2-(N-Methylperfluorooctanesulfonamido)acetate (N-Me-FOSAA(anion))	909405-48-7
	Potassium N-((heptadecafluorooctyl)sulphonyl)-N-methylglycinate (N-Me-FOSAA-K)	70281-93-5
N-EtFOSAA, its salts	N-ethylperfluorooctane sulfonamidoacetic (N-EtFOSAA)	2991-50-6
	Potassium N-ethyl-N-((heptadecafluorooctyl)sulphonyl)glycinate (N-Et-FOSAA-K)	2991-51-7
	2-(N-Ethyl-perfluorooctanesulfonamido)acetate (N-Et-FOSAA(anion))	909405-49-8
	Ammonium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-NH <sub>4</sub> )	2991-52-8
	Sodium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-Na)	3871-50-9
PFPeS, its salts	Perfluoropentane sulfonic acid (PFPeS)	2706-91-4
	Sodium perfluoro-1-pentanesulfonate (PFPeS-Na*)	630402-22-1
	Potassium perfluoropentane-1-sulphonate (PFPeS-K)	3872-25-1
	Ammonium perfluoropentanesulfonate (PFPeS-NH <sub>4</sub> *)	68259-09-6
	Bis(2-hydroxyethyl) ammonium 1,1,2,2,3,3,4,4,5,5,5-undecafluoropentane-1-sulphonate	70225-17-1
	Undecafluoropentane-1-sulfonic acid lithium salt (PFPeS-Li)	1046864-81-6
	Perfluoropentane sulfonate (anion)	175905-36-9
	Triethylammonium perfluoropentane sulfonate	72033-42-2
	Perfluoropentane sulfonic anhydride (PFPeSA)	161877-72-1
3:3 FTCA, its salts	3-Perfluoropropyl propanoic acid (3:3 FTCA)	356-02-5
	4,4,5,5,6,6,6-Heptafluorohexanoate (3:3 FTCA(anion))	1169706-83-5
	Sodium 3-(perfluoropropyl)propanoate (3:3FTCA-Na)	1207462-13-2
5:3 FTCA, its salts	3-Perfluoropentyl propanoic acid (5:3 FTCA)	914637-49-3
	2H,2H,3H,3H-Perfluorooctanoate (5:3 FTCA(anion))	1799325-94-2
PFEEESA, its salts	Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	113507-82-7
	Potassium perfluoro(2-ethoxyethane) sulfonate (PFEEESA-K)	117205-07-9
	Sodium perfluoro(2-ethoxyethane) sulfonate (PFEEESA-Na)	113507-87-2
9Cl-PF <sub>3</sub> ONS, its salts	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF <sub>3</sub> ONS)	756426-58-1
	Potassium 9-chlorohexadecafluoro-3-oxanonane-1-sulfonate (9Cl-PF <sub>3</sub> ONS-K)	73606-19-6
	Ammonium perfluoro-2-[(6-chlorohexyl)oxy]ethane-1-sulfonate (9Cl-PF <sub>3</sub> ONS-NH <sub>4</sub> )	1383434-28-3
	Perfluoro(2-[(6-chlorohexyl)oxy]ethanesulfonate) (9Cl-PF <sub>3</sub> ONS (anion))	1621485-21-9

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 54 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
11Cl-PF <sub>3</sub> OUdS, its salts	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF <sub>3</sub> OUdS)	763051-92-9
	Potassium 11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (11Cl-PF <sub>3</sub> OUdS-K)	83329-89-9
	2-[(8-Chloro-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8-hexadecafluorooctyl)oxy]-1,1,2,2-tetrafluoroethanesulfonate (11Cl-PF <sub>3</sub> OUdS (anion))	2196242-82-5
11H-PFUnDA, its salts	11H-Perfluoroundecanoic acid (11H-PFUnDA)	1765-48-6
	potassium 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11-icosafuoroundecanoate (11H-PFUnDA-K)	307-71-1
	Ammonium 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11-icosafuoroundecanoate (11H-PFUnDA-NH <sub>4</sub> )	5081-02-7
	11-H-Perfluoroundecanoate (11H-PFUnDA(anion))	69681-37-4
PFPrA, its salts	Pentafluoropropionate acid (PFPrA)	422-64-0
	Sodium pentafluoropropionate (PFPrA-Na)	378-77-8
	Silver pentafluoropropionate (PFPrA-Ag)	509-09-1
	Potassium pentafluoropropionate (PFPrA-K)	378-76-7
	Ammonium pentafluoropropionate (PFPrA-NH <sub>4</sub> )	2730-58-7
	Perfluoropropanoate (PFPrA(anion))	44864-55-3
	Pentafluoropropanoic acid-1-phenylpiperazine (1/1) (PFPrA-C10H14N2)	893-87-8
	Pentafluoropropanoic acid-piperazine (1/1) (PFPrA-C4H10N2)	1690-94-4
6:6 PFPI, its salts	Imidazole perfluoropropionic acid salt (PFPrA-C3H4N2)	200705-90-4
	6:6 Perfluorophosphinic acid (6:6 PFPI)	40143-77-9
	Sodium bis(perfluorohexyl)phosphinate (6:6 PFPI-Na)	70609-44-8
	Bis(perfluorohexyl) phosphinic acid ytterbium(3+) salt (6:6 PFPI-Yb)	500776-72-7
8:8 PFPI, its salts	Bis(perfluorohexyl) phosphinic acid erbium(3+) salt (6:6 PFPI-Er)	500776-73-8
	8:8 Perfluorophosphinic acid (8:8 PFPI)	40143-79-1
	Sodium bis(perfluorooctyl)phosphinate (8:8 PFPI-Na)	500776-69-2
	Bis(perfluorooctyl) phosphinic acid erbium(3+) salt (8:8 PFPI-Er)	500776-70-5
HFPO-TA, its salts	Bis(perfluorooctyl) phosphinic acid ytterbium(3+) salt (8:8 PFPI-Yb)	500776-71-6
	Perfluoro-2,5-dimethyl-3,6-dioxanonanoic acid (HFPO-TA)	13252-14-7
	Potassium perfluoro(2-(2-propoxypropoxy)propanoate) (HFPO-TA-K)	67118-57-4
	Perfluoro-2,5-dimethyl-3,6-dioxanonanoic acid, sodium salt (HFPO-TA-Na)	67963-76-2

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 55 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
HFPO-TA, its salts	2,3,3,3-Tetrafluoro-2-[1,1,2,3,3,3-hexafluoro-2-(heptafluoropropoxy)propoxy]propanoic acid--ammonia (HFPO-TA-NH <sub>4</sub> )	13043-05-5
	Hexafluoropropene oxide trimer (HFPO-TA-F)	2641-34-1
PFEtS, its salts	Pentafluoroethane sulfonic acid (PFEtS)	354-88-1
	Pentafluoroethanesulfonate (PFEtS (anion))	108410-37-3
	Potassium pentafluoroethane-1-sulfonate (PFEtS-K)	2837-92-5
6:2 diPAP, its salts	Bis[2-(perfluorohexyl)ethyl] Phosphate (6:2 diPAP)	57677-95-9
	Sodium bis[2-(perfluorohexyl)ethyl] phosphate (6:2 diPAP-Na)	407582-79-0
	Bis(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphate ion (6:2 diPAP(anion))	667465-18-1
TFSI, its salts	Trifluoromethanesulfonimide (TFSI)	82113-65-3
	Pyrrolidinium, 1-butyl-1-methyl-, salt with 1,1,1-trifluoro-N-[(trifluoromethyl)sulfonyl]methanesulfonamide (1:1)	223437-11-4
	Tributylmethyl Ammonium Bis(trifluoromethanesulfonyl) Imide	405514-94-5
	Lithium bis((trifluoromethyl)sulfonyl)azanide (TFSI-Li)	90076-65-6
	1-Decyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide	433337-23-6
	Zinc(II) Bis(trifluoromethanesulfonyl)imide ((TFSI) <sub>2</sub> -Zn)	168106-25-0
	Manganese(II) Bis(trifluoromethanesulfonyl)imide ((TFSI) <sub>2</sub> -Mn)	207861-55-0
	Nickel bis(trifluoromethylsulfonyl)imide ((TFSI) <sub>2</sub> -Ni)	207861-63-0
	Copper(II) Bis(trifluoromethanesulfonyl)imide ((TFSI) <sub>2</sub> -Cu)	162715-14-2
	(OC-6-11)-Tris(1,1,1-trifluoro-N-((trifluoromethyl)sulfonyl-kappaO)methanesulfonamidato-kappaO)iron ((TFSI) <sub>3</sub> -Fe)	207861-59-4
	Copper(II) trifluoromethanesulfonimide xhydrate ((TFSI) <sub>2</sub> -CuH <sub>2</sub> O)	1334406-76-6
	Silver Bis(trifluoromethanesulfonyl)imide (TFSI-Ag)	189114-61-2
	Copper bis(trifluoromethylsulfonyl)imide (TFSI-Cu)	291300-50-0
	Barium(II) Bis(trifluoromethanesulfonyl)imide ((TFSI) <sub>2</sub> -Ba)	168106-22-7
	Strontium bis(trifluoromethylsulfonyl)imide	862121-57-1
	1-Methylimidazole Bis(trifluoromethanesulfonyl)imide	353239-08-4
	1-Ethyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide	174899-82-2
	1,2-Dimethyl-3-propylimidazolium bis(trifluoromethylsulfonyl)imide	169051-76-7
	Magnesium bis(trifluoromethylsulfonyl)imide (TFSI-Mg)	133395-16-1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 56 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
TFSI, its salts	1-Methyl-3-propylimidazolium Bis(trifluoromethanesulfonyl)imide	216299-72-8
	1-Butyl-1-methylpiperidinium bis(trifluoromethylsulfonyl)imide	623580-02-9
	1-Methyl-3-n-octylimidazolium Bis(trifluoromethanesulfonyl)imide	178631-04-4
	Tris[bis(trifluoromethylsulfonyl)amino] ytterbium ((TFSI)3-Yb)	175438-43-4
	Butyltrimethylammonium bis(trifluoromethylsulfonyl)imide	258273-75-5
	Cobalt bis(trifluoromethylsulfonyl)imide ((TFSI)2-Co)	207861-61-8
	Potassium Bis(trifluoromethanesulfonyl)imide (TFSI-K)	90076-67-8
	1-Methyl-1-propylpiperidin-1-ium Bis((trifluoromethyl)sulfonyl)amide	608140-12-1
	1-Ethyl-2,3-dimethylimidazolium Bis(trifluoromethanesulfonyl)imide	174899-90-2
	1-Methyl-1-propylpyrrolidinium Bis(trifluoromethanesulfonyl)imide	223437-05-6
	1,1,1-trifluoro-N-trifluoromethanesulfonyl-N-((N-trifluoromethanesulfonyl)trifluoromethanesulfonamido)calcio) methanesulfonamide ((TFSI)2-Ca)	165324-09-4
	Choline bis(trifluoromethylsulfonyl)imide	827027-25-8
	1-Dodecyl-3-methylimidazolium Bis(trifluoromethanesulfonyl)imide	404001-48-5
	1-Ethyl-1-methylpyrrolidinium bis(trifluoromethylsulfonyl)imide	223436-99-5
	Diethylmethylsulfonium bis(trifluoromethylsulfonyl)imide	792188-85-3
	Bis(trifluoromethylsulfonyl)azanide;mercury(2+) ((TFSI)2-Hg)	104715-41-5
	Cerium(III) Bis(trifluoromethanesulfonyl)imide (TFSI-Ce)	1046099-39-1
	Cadmium bis[bis[(trifluoromethyl)sulfonyl]azanide] (TFSI-Cd)	1263295-73-3
	Bis(trifluoromethanesulfonyl)imide Lanthanum(III) Salt (TFSI-La)	168106-26-1
	Scandium(III) bis(trifluoromethylsulfonyl)imide (TFSI-Sc)	176726-07-1
	Yttrium(III) bis(trifluoromethanesulfonyl)imide (TFSI-Y)	189114-86-1
	Vanadium tris(bis(trifluoromethanesulfon)imide) (TFSI-V)	207861-54-9
	Iron(II) bis(trifluoromethanesulfonyl)imide (TFSI-Fe)	207861-57-2
Tin(II) bis(trifluoromethylsulfonyl)imide (TFSI-Sn)	460096-08-6	
Cesium bis(trifluoromethanesulfonyl)imide (TFSI-Cs)	91742-16-4	
Sodium bis(trifluoromethanesulfonyl)imide (TFSI-Na)	91742-21-1	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 57 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
TFMS, its salts	Trifluoromethane sulfonic acid (TFMS)	1493-13-6
	Trifluoromethane sulfonic acid Sodium salt (TFMS-Na)	2926-30-9
	Silver trifluoromethanesulfonate (TFMS-Ag)	2923-28-6
	Zinc trifluoromethanesulfonate (TFMS-Zn)	54010-75-2
	Scandium trifluoromethanesulfonate (TFMS-Sc)	144026-79-9
	Trifluoromethanesulfonic anhydride	358-23-6
	Lithium trifluoromethanesulfonate (TFMS-Li)	33454-82-9
	Copper(II) trifluoromethanesulfonate (TFMS-Cu)	34946-82-2
	Barium trifluoromethanesulfonate (TFMS-Ba)	2794-60-7
	Cerium(IV) trifluoromethanesulfonate (TFMS-Ce)	107792-63-2
	Magnesium trifluoromethanesulfonate (TFMS-Mg)	60871-83-2
	Potassium trifluoromethanesulfonate (TFMS-K)	2926-27-4
	Nickel(II) Trifluoromethanesulfonate (TFMS-Ni)	60871-84-3
	Tin(II) trifluoromethanesulfonate (TFMS-Sn)	62086-04-8
	Yttrium(III) trifluoromethanesulfonate (TFMS-Y)	52093-30-8
	Iron(III) trifluoromethanesulfonate (TFMS-Fe)	63295-48-7
	Cerium(III) Trifluoromethanesulfonate (TFMS-Ce)	76089-77-5
	Tetrabutylammonium trifluoromethanesulfonate	35895-70-6
	Methyltrioctylammonium trifluoromethanesulfonate	121107-18-4
	Imidazole trifluoromethanesulfonate	29727-06-8
	Trifluoroacetyl Trifluoromethanesulfonate	68602-57-3
	Lanthanum(III) trifluoromethanesulfonate (TFMS-La)	52093-26-2
	Indium(III) trifluoromethanesulfonate (TFMS-In)	128008-30-0
	Samarium(III) trifluoromethanesulfonate (TFMS-Sm)	52093-28-4
	Ytterbium(III) trifluoromethanesulfonate (TFMS-Yb)	54761-04-5
	Thulium(III) trifluoromethanesulfonate (TFMS-Tm)	141478-68-4
	Tetraethylammonium trifluoromethanesulfonate	35895-69-3
	1-Fluoro-3,5-dichloropyridinium triflate	107264-06-2
	Triethylamine salt of trifluoromethanesulfonic acid	646-58-2
	Triphenylphosphonium anhydride triflate	72450-51-2
N,N-Diethyl-6-(diethylamino)-9-(2-(methoxycarbonyl)phenyl)-3H-xanthene-3-ylideneammonium trifluoromethanesulfonate	120611-30-5	
Diphenylammonium Trifluoromethanesulfonate	164411-06-7	
1-(3-aminoazetidin-1-yl)prop-2-en-1-one, trifluoromethanesulfonic acid	2060047-56-3	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 58 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
TFMS, its salts	Guanidine trifluoromethanesulfonic acid	153756-25-3
	Trifluoromethanesulfonic acid--1-ethyl-1H-imidazole (1/1)	501693-46-5
	Ruthenium(3+), (OC-6-22)-, salt with trifluoromethanesulfonic acid (1:3)	74468-24-9
	O-Pivaloylhydroxylamine trifluoromethanesulfonate	1293990-73-4
	Trifluoromethanesulfonyl chloride	421-83-0
	(2-Pyridylmethyl)sulfonyl chloride triflate	882564-09-2
	Trifluoromethanesulfonyl bromide	15458-53-4
	Mercury(II) trifluoromethanesulfonate (TFMS-Hg)	49540-00-3
	Dysprosium(III) tris(trifluoromethanesulfonate) (TFMS-Dy)	139177-62-1
	Manganese bis(trifluoromethanesulfonate) (TFMS-Mn)	55120-76-8
	Pentaamine(trifluoromethanesulfonato)osmium(III) triflate	83781-30-0
	Lutetium(III) trifluoromethanesulfonate (TFMS-Lu)	126857-69-0
	Terbium(III) trifluoromethanesulfonate (TFMS-Tb)	148980-31-8
	Neodymium(III) trifluoromethanesulfonate (TFMS-Nd)	34622-08-7
	Ammonium trifluoromethanesulfonate (TFMS-NH4)	38542-94-8
	Holmium(III) trifluoromethanesulfonate (TFMS-Ho)	139177-63-2
	Trifluoromethanesulfonate	37181-39-8
	Praseodymium(III) trifluoromethanesulfonate (TFMS-Pr)	52093-27-3
	Bismuth(III) trifluoromethanesulfonate (TFMS-Bi)	88189-03-1
	Europium(III) trifluoromethanesulfonate (TFMS-Eu)	52093-25-1
	Erbium(III) trifluoromethanesulfonate (TFMS-Er)	139177-64-3
	Gallium(III) trifluoromethanesulfonate (TFMS-Ga)	74974-60-0
	N,N,N-Triethyl-2,2,2-trifluoroethan-1-aminium trifluoromethanesulfonate	380230-73-9
	Methanesulfonic acid, trifluoro-, calcium salt (TFMS-Ga)	55120-75-7
	Thallium(1+) trifluoromethanesulfonate (TFMS-Tl)	73491-36-8
	Hafnium(IV) Trifluoromethanesulfonate (TFMS-Hf)	161337-67-3
	1-(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- Pentadecafluorooctyl)pyridinium trifluoromethanesulfonate	25061-59-0
	Tetrapropylammonium trifluoromethanesulphonate (TFMS-N(C3H7)4)	35925-48-5
	(Heptafluoropropyl)(phenyl)iodanium trifluoromethanesulfonate	77758-79-3
	Phenyl(tridecafluorohexyl)iodanium trifluoromethanesulfonate	77758-84-0

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: EKR26100173M02

Date: 03-Feb-2026

Page: 59 of 80

FORMOSA PLASTICS CORPORATION


NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

Group Name	Substance Name	CAS No.
TFMS, its salts	(Heptadecafluorooctyl)(phenyl)iodanium	77758-89-5
	(1,1,1,2,3,3,3-Heptafluoropropan-2-yl)(phenyl)iodanium trifluoromethanesulfonate	82959-18-0
	Triethylmethylammonium triflate	90756-35-7
	Pentafluoroanilinium trifluoromethanesulfonate	912823-79-1
	Tributylmethylammonium trifluoromethanesulfonate	944557-37-3
PFPrS, its salts	Perfluoropropate sulfonic acid (PFPrS)	423-41-6
	Perfluoropropanesulfonic acid sodium salt (PFPrS-Na)	359868-82-9
PFHpSi, its salts	Perfluoroheptane-1-sulfinic acid (PFHpSi)	769067-51-8
	1-heptanesulfinic Acid Sodium Salt (PFHpSi-Na)	68555-66-8
PFOPA, its salts	Perfluorooctylphosphonic acid (PFOPA)	40143-78-0
	(Heptadecafluorooctyl)phosphonic acid--4-methylaniline (1/1)	1263361-03-0
BETI, its salts	Bis(pentafluoroethylsulfonyl)imide	152894-10-5
	Lithium Bis(pentafluoroethanesulfonyl)imide	132843-44-8
	Bis(perfluoroethylsulfonyl)imide anion	129318-46-3
	Sodium bis((perfluoroethyl)sulfonyl)amide	152894-04-7
	Potassium bis((perfluoroethyl)sulfonyl)amide	221203-22-1
PFHxPA, its salts	1-Ethyl-3-methylimidazolium bis(perfluoroethylsulfonyl)imide	216299-76-2
	Perfluorohexyl phosphonic acid	40143-76-8
Ethyl perfluoroisobutyl ether and its isomers	Perfluorohexylphosphonic Acid 4-Methylbenzamine	1263361-02-9
	Ethyl perfluoroisobutyl ether and its isomers	163702-05-4
	Perfluoroisobutyl ethyl ether	163702-06-5

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


## Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.  
( Cr<sup>6+</sup> test method excluded )



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


## PBB/PBDE analytical FLOW CHART



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

### Analytical flow chart

\* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

### Analytical flow chart - Formaldehyde




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN


### Analysis flow chart - PVC



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## Analysis flow chart for determination of Asbestos


【 Reference method: EPA 600/R-93/116 】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## Analytical flow chart of Azo dyes

【Test method: ISO 14362-1】




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

### Analytical flow chart of Elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.


【 Reference method : US EPA 3051 、 US EPA 3052 】



\* US EPA 3051 method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

### Analytical flow chart of Dimethyl Fumarate




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION


NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

## Analytical flow chart - Organic phosphorus compounds



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

### Analytical flow chart - HBCDD




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN


### Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## Analytical flow chart of phthalate content


【 Test method: IEC 62321-8 】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


## Analytical flow chart of volatile organic compounds (VOCs)

【Reference method : US EPA 5021A】




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

### Analytical flow chart of Halogen




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

### BPA analytical flow chart



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## Analytical flow chart - Persistent, Bioaccumulative, Toxic (PBTs)




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

FORMOSA PLASTICS CORPORATION


NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

### TBBP-A analytical flow chart




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

### Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## PAHs (PolyAromaticHydrocarbons) analytical flow chart



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## Test Report

No.: EKR26100173M02

Date: 03-Feb-2026


Page: 80 of 80

FORMOSA PLASTICS CORPORATION

NO. 100, SHUI-GUAN RD., RENWU DIST., KAOHSIUNG CITY 814, TAIWAN

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

## EKR26100173



\*\* End of Report \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.